

志發
CHEE FATT



NEW
POWER TOOLS

THE STORY BEHIND NEMO POWER TOOLS: Who we are and what we do

Nemo Power Tools are the first of their kind and the world's only completely submersible battery-operated power tools.

The Nemo V1 Drill was originally custom-designed and built for scientific and government organizations in 2012. The technology was then adapted into a commercial version and production began in 2013.

Since then, Nemo Power Tools has developed a wide range of power tools and accessories for work in, around and under the water.

We pride ourselves in working together with our partners and clients to better understand what they need to do their work more quickly and easily.

Our love of innovation combined with our desire to provide our customers with useful, quality products means that we integrate new and exciting technologies into our products. Nemo Power Tools uses technologies generally found in more high-tech products: batteries and electronics from the drones industry, cooling technology from the computer industry, and sealing and fabrication methods from the marine industry.

Since our founding in 2014, we have expanded our product line to include a wide variety of heavy-duty tools for use above and below the water including several models of drills, impact wrenches, impact drivers, angle grinders, and hammer drills.

Our list of tools is growing all the time, and we have introduced the 6000 and the 8000 lumen dive lights that help both commercial and recreational divers see more than ever under the water.

Other products coming soon include a tough, cordless SDS Rotary Hammer, the world's most powerful battery-operated dive light and a brushless-motor hammer drill with a working depth of up to 50M. We're now working on a battery-operated, handheld boat hull cleaning brush to cut down on the time and effort professionals and boat owners spend on maintaining their vessels.

Today, **Nemo tools are being used around the world** by commercial and research divers, pool professionals, boat owners, plumbers, construction workers, military divers, rescue teams, and a lot more. We are happy to partner with almost 100 distributors and dealers in 45 countries, bringing Nemo innovation and quality to customers around the globe.

NEMO POWER TOOLS WARRANTY POLICY

Basic Warranty

Nemo Power Tools stands behind our manufacturing process, which is why the Basic warranty comes standard with every tool.

What it covers

- 1 Year protection.
- Out-of-box defects caused by faulty materials, parts, and/or workmanship

What it doesn't cover

- Damage or failure caused by misuse of the tool
- Damage or failure caused by normal wear-and-tear

After sending in a claim, a **Nemo Power Tools** representative will determine if the failure and/or damage was caused by a defect during manufacturing. In the event the representative believes the tool needs to be examined in person, you are responsible for the cost of shipping the tool to the nearest Nemo certified repair shop for further investigation. If it is deemed that the issue is a manufacturer defect, **Nemo Power Tools** will repair or replace the tool at no cost to you.

Handyman Protection Plan

Confident that you can repair most issues with your tool if you have the parts? The Handyman Protection plan is for you.

What it covers

- 2 Years protection.
- Replacement parts and/or repair kits for any damage or failure that occurs during normal, reasonable use of the tool

What it doesn't cover

- Damage or failure caused by misuse of the tool

When a **Nemo Power Tools** representative determines that the failure and/or damage was caused by normal wear-and-tear, **Nemo Power Tools** will ship the necessary repair products to you at no cost. **Nemo Power Tools** will also provide an instructional video outlining how to repair the tool. Depending on the type of repair necessary, you may need basic tools and some experience in mechanical repair to complete the job.

Full Protection Plan

Maintain your tool for 3 years with a Full Protection plan.

What it covers

- 3 Years protection.
- Damage or failures that occur during normal, reasonable use of the tool

What it doesn't cover

- Damage and/or failure due to misuse of the tool

Damage and/or failure due to misuse of the tool

When a **Nemo Power Tools** representative determines that the failure and/or damage was caused by normal wear-and-tear, **Nemo Power Tools** will replace the damaged tool with a new tool or repair the tool free of charge.



18V
Li-ion

50M
SUBMERSIBLE

400-1500
RPM

13MM
CHUCK SIZE

1-3 HOUR
6 Ah BATTERY

DUAL LED
ILLUMINATION

NEMO DIVER V2 - 50M

The Nemo V2 DIVERS Edition offers commercial, research, and recreational divers a salt-water resistant tool ready for any number of jobs, such as dock construction, boat maintenance and research-oriented tasks like tagging coral samples. This tool has a maximum operating depth of 50m (164ft) and is salt-water resistant. It comes with durable carrying case, a battery charger, pressure valve and Nemo air pump to pressurize the tool, and two 18V 6Ah Lithium Ion batteries.

Battery:	(2) 18V Li-ion 6Ah
No Load Speed (2 speeds):	0-400 / 0-1500 RPM
Maximum Torque:	39 N/m (345 in.lbs)
Chuck size:	13mm (1/2 in)
Net weight (with battery):	2.9kg (6.39 lbs)
Submersible up to:	50m (164 ft)

SO-HD-18-6Li-100



18V
Li-ion

100M
SUBMERSIBLE

400-1500
RPM

13MM
CHUCK SIZE

2-6 HOUR
6 Ah BATTERY

DUAL LED
ILLUMINATION

NEMO SPECIAL OPS HAMMER DRILL

Nemo's Special OPS Hammer is our upgraded version of the Nemo Hammer Drill 50M. It has the same tough functionality as the hammer drill but can work both on land and underwater to greater depths of up to 100m.

No load speed(2 speeds) 0-400/0-1500 RPM

No load BPM 0-17600BPM

Maximum torque 39Nm (345 in-lbs)

Chuck size 13mm (1/2 in)

Net weight(with battery) 4.69kg (10.35 lbs)

Working temperature 60°C(140°F)

Submersible up to 100m (328 ft)

Battery Charger

Model XVE-2100400

Approximate charger time 90 min

Charger output voltage 21V

Charger input voltage 100V-240V

Battery pack voltage 18V Li-ion

Battery cell specification 6Ah

HD-18-6Li-50



18V
Li-ion
50M
SUBMERSIBLE
0-1500
RPM
13MM
CHUCK SIZE
1-3 HOUR
6 Ah BATTERY
0-17,600
BPM

NEMO HAMMER DRILL - 50M

The Nemo Hammer Drill offers you the power you need for working with cement, brick, block, or stone in wet or underwater conditions. Installing concrete anchors, attaching electrical boxes to brick, drilling into tiles in swimming pools and spas, and setting cave and canyoneering rigging are all made possible with this submersible, cordless hammer drill. The Nemo Hammer Drill has a maximum operating depth of 50m (164 ft) and is salt-water resistant.

Battery:	18V Li-ion 6Ah
No Load Speed (2 speeds):	0-400 / 0-1500 RPM
No Load BPM:	0-17,600 BPM
Maximum Torque:	39 N/m (345 in.lbs)
Chuck Size:	13mm (1/2 in)
Net Weight (with battery):	3.1kg (6.8 lbs)
Submersible up to:	50m (164 ft)


AGV2-22-3Li-50



NEMO ANGLE GRINDER V2

The world's first waterproof cordless angle grinder is designed specifically for commercial divers and underwater construction workers. This new model has upgrade technologies and can switch from battery to battery whilst under water, so divers can take as many battery's needed below to attack any task required.

Wheel Diameter	4.5 in
Submersible speed	5,500 RPM
Dry-land speed	8,500 RPM
Net Weight	2.9 kg (6.39 lbs)
Overall Length	38 cm (15 in)
Submersible up to	50m (164 ft)



18V
Li-ion

50M
SUBMERSIBLE

0-2100
RPM

1/2 IN
SQUARE DRIVE


1-3 HOUR
6 Ah BATTERY

0-3200
IPM

NEMO IMPACT WRENCH - 50M

The Nemo Submersible Impact Wrench can carry out a wide range of fastening applications both underwater and on dry land. Delivering 132 ft-lbs of maximum torque, this tool is powerful yet compact, weighing in at only 2.9 kg (6.39 lbs) and measuring only 6 inches long. The Nemo Impact Wrench has a maximum operating depth of 50m (164 ft). It has a salt-water resistant black and red paint job and comes with a durable carrying case, a battery charger, a pressure valve, and a Nemo air pump to pressurize the tool, and two 18V 6Ah Lithium Ion Batteries.

Battery:	18V Li-ion 6Ah
No Load Speed (variable speed):	0-2100 RPM
Impacts Per Minute (variable speed):	0-3200 IPM
Maximum Torque:	170 N/m (125 ft-lbs)
Square Drive:	1/2 in
Overall Length:	6 in
Net Weight:	2.8kg (6.1lbs)
Submersible up to:	50m (164 ft)



18V
Li-ion

50M
SUBMERSIBLE

0-2300
RPM

1/4 IN
HEX SHANK

1-3 HOUR
6 Ah BATTERY

0-3200
IPM

NEMO IMPACT DRIVER - 50M

Construction workers, HVAC technicians, and commercial divers can easily carry out a range of fastening applications both underwater and on dry land with the Nemo Submersible Impact Driver. The torque on this driver gives you the power you need to drive large or long screws, and its 1/4 in. hex bit shank can handle big bits for boring large holes. This tool has a maximum operating depth of 50m (164ft) and is salt-water resistant. It comes with a durable carrying case, a battery charger, a pressure valve and a Nemo air pump to pressurize the tool, and two 18V 6Ah Lithium Ion batteries.

Battery:	18V Li-ion 6Ah
No Load Speed (variable speed):	2100 RPM
Impacts Per Minute (variable speed):	0-3200 IPM
Maximum Torque:	170 N/m (118 in-lbs)
Hex Shank:	1/4 in
Overall Length:	6 in
Net Weight:	2.8kg (6.17 lbs)
Submersible up to:	50m (164 ft)

RH-22-3Li-50



⚡
22V
Li-ion

⚙️
1040
RPM

💧
50M
SUBMERSIBLE

🕒
3AH / 6AH
2*BATTERIES

⚙️
5000
IPM

NEMO SDS ROTARY HAMMER

The Nemo SDS Rotary Hammer is the world's first waterproof cordless rotary hammer. It's a powerful, long-lasting tool designed for underwater masonry work. The Nemo rotary hammer has a maximum operating depth of 50m (164 ft) and is salt-water resistant. Its 1000 watt brushless technology and three settings (non-hammer drill mode, hammer drill mode, and hammer only) provides users an efficient, versatile tool for their tough underwater jobs.

Battery:	(2) 22V Li-ion 3Ah/6Ah
No load rotation speed:	1040 RPM
Full hammering frequency:	5000IPM
Single impact energy:	2.0Nm
Optimal drilling diameter (concrete):	1/4 - 5/8 in
Net weight (with battery):	5kg (11 lbs)
Submersible up to:	50m (164 ft)
Torque:	35Nm

RS-18V-6Li-50 0-1



STROKE
↔
3/4 inch

3.5KG
⚖️

50M
SUBMERSIBLE

⚡
KEYLESS
BLADE CLAMP

⚙️
VARIABLE-SPEED
TRIGGER

🔋
18V 6Ah
2⁺ BATTERIES

NEMO RECIPROCATING SAW

Designed by divers for divers, the Nemo Power Tools submersible reciprocating saw is the world's first submersible waterproof electric saw, and is engineered to provide the same level of performance at 50m/164ft underwater as it does on land. Weighing in at just 2.9kg/6.4lbs, this saw is powered by a reliable 18V Li-ion battery and features a variable speed trigger. Boasting up to 3,000 strokes per minute and a keyless blade clamp that allows you to change blades easily underwater, this reciprocating saw offers commercial divers the power and control they need.

Stroke length:	3/4 inch
Net weight:	3.5 Kg
Submersible:	50m (164ft)
Keyless blade clamp:	Yes
Variable-speed trigger:	Yes
Two 18V 6Ah lithium-ion batteries:	Yes

HC-18-4Li-50



NEMO HULL CLEANER ELECTRIC BRUSH

The Nemo battery- operated hull cleaner electric brush is a revolutionary cleaning power tool that makes the task of in-water cleaning easier than ever before. It removes marine deposits and tough stains from boat bottoms, cleans scum lines, ruststains, propellers, and any in-water surface quickly and easily. Keep your boat clean and in its best condition with the Nemo hull cleaner electric brush.

Battery:	18V Li-ion 10Ah
Brush motor:	900W
Net weight (without battery and brush):	2.3kg
Submersible up to:	50m (164ft)
Brush size:	300mm (with different hardness bristles)
Volume (LxWxH):	205x122x410mm
Time of endurance:	370mins
No load rotation speed:	120RPM/160RPM
Keyless hex chuck:	10mm

LT-15KLM-100



V3 15K DIVING FLOODLIGHT

Nemo's flagship dive light received an upgrade. Version 3 boasts 15,000 lumens versus its predecessor's 8,000, yet still has all of the features that commercial divers and professional underwater videographers and photographers loved about the original. With 18 Cree LEDs and 10 UV LEDs, five intensity levels, and multiple modes, this powerhouse lights up even the darkest underwater area.

Modes:	Wide angle white floodlight UV light, white floodlight and UV light
Brightness:	15000 Lumens
Battery duration:	60 minutes
Material:	Aircraft-grade anodized aluminum
Maximum depth:	100m/328ft
Battery charging time:	2 hours
Net weight:	750g
Weight underwater:	610g
Size:	DxL: 65mm x 145mm

NEMO ACCESSORIES



18V 6Ah Li-ion Battery
Product ID: TB-18V-6AH



18V 6Ah Li-ion Battery
Product ID: TB-18V-6AH



**22V 3Ah Grinder V2
Lithium-ion battery**
Product ID:
TB-22V-3AH-V2



**22V 6Ah Grinder V2
Lithium-ion battery**
Product ID:
TB-22V-6AH-V2



**Reciprocating Saw
6Ah Battery**



**Nemo Special Ops 6Ah
Battery**



**18V 2Ah Li-ion battery
for V3 Nemo Flood
Light**



**Waterproof carrying
case with regular EVA**



**Rotary Hammer
Case**

NEMO ACCESSORIES



**Grinder/Rotary Hammer
Battery Charger V2**



Drill Battery Charger
Product ID: TB-QBC-NT



Nemo Foam Insert



**Hand Pump for
Pressurized Diving Tools**
Product ID: N-DHP-NT-1



Durable Tool Leash
Product ID: N-DTL-NT



Hull Cleaner Brush



**Handle for Nemo
Hammer Drill**



Nemo Glass Drill Bits



**Submersible Drill
Brush Set**

NEMO DEALERS WHERE TO BUY

We have our dealers all over the world,
Write us your location and we will send you contact details of the closest one.

America:

Email:
Info@NemoPowerTools.com

Address 1:

Horizon Spa & Pool Parts
3120 East Medina Road
Tucson, Arizona 85756
800-874-7727

Address 2:

1 Saint Francis PL , APT 2401
San Francisco CA 94107
585-302-2179

Asia:

Email:
Darren@NemoPowerTools.com
Phone: +611800848929

Address:

21st Floor, CMA Building
64 Connaught Road Central
Hong Kong

Europe & Middle East:

Email:
Darren@NemoPowerTools.com



www.NemoPowerTools.com

NEMO POWER TOOLS NOTES



www.NemoPowerTools.com



***TOUGHEST TOOLS IN EXISTENCE
ANY WEATHER,
ANY TERRAIN.***

志發
CHEE FATT

W : www.cheefatt.com
E : marketing@cheefatt.com
T : +65 6294 2066

www.NemoPowerTools.com