

PELICAN™ 2023 PRODUCT CATALOG



Dear Pelican Customer.

Our story began in a small residential garage in Torrance, California in 1976. Almost five decades later, Pelican Products, Inc. remains the global leader in the design and manufacture of high-performance protective cases.

The first Pelican case was a first-aid kit for divers, and it was so rugged and durable that other customers began to repurpose it to protect their own valuables. This began the expansion of the Pelican product line, one high-quality case at a time.

We are now manufacturing more than 1,000 different case styles, from our classic Pelican™ Protector Case™ Brand Case and Pelican™ Storm Case™ Series lines, to our innovative Pelican™ Air cases. We also offer a wide range of interior organization solutions, including our TrekPak™ divider system, padded dividers, EZ-CLICK™ MOLLE panels, Pick N Pluck™ foam, as well as custom foam interiors that help protect and organize valuable assets.


Our vision at Pelican is Protecting All That You Value. All our fantastic Pelican employees are committed to this mantra, because we know that the most valuable thing ever put in a Pelican case is TRUST.

A big source of pride here at Pelican Products, Inc. is the continued support of our loyal customers. On behalf of myself and my fellow Pelican employees around the world, we thank you for your business.

Sincerely,

Phil Gyori

Chief Executive Officer














MARKETS SERVED // **FIRE MILITARY** INDUSTRIAL LAW ENFORCEMENT **OUTDOOR** CONSUMER DIVE





UP TO 40% LIGHTER THAN OTHER POLYMER CASES

Our lightest case with the protection you need.



PELICAN™ AIR CASE COLORS AVAILABLE

PELICAN™ AIR TRAVEL CASE COLORS AVAILABLE











CHARCOAL





*Not available in all case sizes.

THE SCIENCE OF LIGHTNESS



Molded from the next generation of Pelican's lightweight HPX™ resin, a proprietary formula that rebounds without breaking, the honeycomb structural elements are actually stronger than solid polymer material.



PRESS & PULL™ LATCHES

All Pelican Air models now feature Press & Pull latches, making it easier to securely lock and open your case with a light touch.



WATERTIGHT

The secret is the tongue-and-groove fit with a polymer o-ring acting as a waterproof seal. Also, our Automatic Pressure Equalization Valve releases built-up air pressure while keeping water molecules out, resulting in a watertight case that is easy to open.



EASY RIDING

Stainless steel ball bearing wheels (on select cases) last longer and ride smoother. The nylon hub adjacent to the stainless steel resists heat resulting in less wear and tear on the polyurethane tire.



TESTED

The Pelican™ Air Case design is the result of multiple generations of refinement. This evolution is proven through submergence and other lab tests.



1465 AIR

INTERNAL DIMS:

18.62" x 9.99" x 10.93" (47.3 x 25.4 x 27.8 cm)

EXTERNAL DIMS:

20.83" x 12.62" x 12.75" (52.9 x 32.1 x 32.4 cm)

Cat. No. 1465AIR WE Cat. No. 1465AIRNF NE



1465 EMS

INTERNAL DIMS:

18.62" x 9.99" x 10.93" (47.3 x 25.4 x 27.8 cm)

EXTERNAL DIMS:

20.83" x 12.62" x 12.75" (52.9 x 32.1 x 32.4 cm)

Cat. No. 1465EMS

Case with custom configured trays for EMS professionals.



1485 AIR

INTERNAL DIMS:

17.75" x 10.18" x 6.15" (45.1 x 25.9 x 15.6 cm)

EXTERNAL DIMS:

19.17" x 12.80" x 6.89" (48.7 x 32.5 x 17.5 cm)

Cat. No. 1485AIR WE

Cat. No. 1485AIRNF NE

Cat. No. 1485AIRWD WD

Cat. No. 1485AIRTP



1506 AIR

INTERNAL DIMS:

18.70" x 9.40" x 7.80" (47.5 x 23.9 x 19.8)

EXTERNAL DIMS:

20.12" x 12.02" x 8.56" (51.1 x 30.5 x 21.7)

Cat. No. 1506AIR WE

Cat. No. 1506AIRNF NE

Cat. No. 1506AIRTP



1507 AIR

INTERNAL DIMS:

15.15" x 11.38" x 8.52" (38.5 x 28.9 x 21.6 cm)

EXTERNAL DIMS:

16.87" x 14.10" x 9.27" (42.8 x 35.8 x 23.5 cm)

Cat. No. 1507AIR WE

Cat. No. 1507AIRNF NF

Cat. No. 1507AIRWD WD

Cat. No. 1507AIRTP



1525 AIR

INTERNAL DIMS:

20.50" x 11.31" x 6.75" (52.1 x 28.7 x 17.1 cm)

EXTERNAL DIMS:

21.96" x 13.97" x 7.49" (55.8 x 35.5 x 19 cm)

Cat. No. 1525AIR WE

Cat. No. 1525AIRNF NF

Cat. No. 1525AIRWD WD

Cat. No. 1525AIRTP





1535 AIR WHEELED CARRY-ON



INTERNAL DIMS:

20.39" x 11.20" x 7.21" (51.8 x 28.4 x 18.3 cm)

EXTERNAL DIMS:

21.96" x 13.97" x 8.98" (55.8 x 35.5 x 22.8 cm)

Cat. No. 1535AIR WE Cat. No. 1535AIRNF NE

Cat. No. 1535AIRWD WD Cat. No. 1535AIRTP

Cat. No. 1535AIRTPF

Check with airline for exact measurement requirements.



1535TRVL AIR TRAVEL CASE



TREKPAK™ & PICK N PLUCK™

INTERNAL DIMS:

20.39" x 11.20" x 7.21" (51.8 x 28.4 x 18.3 cm)

EXTERNAL DIMS:

21.96" x 13.97" x 8.98" (55.8 x 35.5 x 22.8 cm)

Cat. No. 1535TRVL

Case with custom configured lid organizer and with packing cubes also included.

Exclusive TRVL colors available. Check with airline for exact measurement requirements.









1555 AIR

INTERNAL DIMS: 23.00" x 12.75" x 7.50" (58.4 x 32.4 x 19.1 cm)

EXTERNAL DIMS:

24.76" x 15.46" x 8.24" (62.9 x 39.3 x 20.9 cm)

Cat. No. 1555AIR WF

Cat. No. 1555AIRNF

Cat. No. 1555AIRWD WD

Cat. No. 1555AIRTP



1556 AIR

INTERNAL DIMS:

21.63" x 10.76" x 8.97" (54.9 x 27.3 x 22.8)

EXTERNAL DIMS:

23.43" x 13.52" x 10.57" (59.5 x 34.3 x 26.8)

Cat. No. 1556AIR WE Cat. No. 1556AIRNF



1557 AIR

INTERNAL DIMS:

17.33" x 13.00" x 9.75" (44.0 x 33.0 x 24.8 cm)

EXTERNAL DIMS:

19.18" x 15.79" x 10.50" (48.7 x 40.1 x 26.7 cm)

Cat. No. 1557AIR WE Cat. No. 1557AIRNE

Cat. No. 1557AIRWD WD Cat. No. 1557AIRTP



1605 AIR

INTERNAL DIMS:

26.00" x 14.00" x 8.38" (66 x 35.6 x 21.3 cm)

EXTERNAL DIMS:

28.87" x 16.77" x 9.12" (73.3 x 42.6 x 23.2 cm)

Cat. No. 1605AIR WE

Cat. No. 1605AIRNF NE

Cat. No. 1605AIRWD WD

Cat. No. 1605AIRTP



INTERNAL DIMS:

24.54" x 12.30" x 10.22" (62.3 x 31.2 x 26)

EXTERNAL DIMS:

27.42" x 15.13" x 11.83" (69.6 x 38.4 x 30)

Cat. No. 1606AIR WE
Cat. No. 1606AIRNF



1607 AIR

INTERNAL DIMS:

21.05" x 15.81" x 11.63" (53.5 x 40.2 x 29.5 cm)

EXTERNAL DIMS:

24.13" x 18.80" x 13.25" (61.3 x 47.8 x 33.7 cm)

Cat. No. 1607AIR WE

Cat. No. 1607AIRNF NE

Cat. No. 1607AIRWD WD







INTERNAL DIMS:

29.59" x 15.50" x 9.38" (75.2 x 39.4 x 23.8 cm)

EXTERNAL DIMS:

32.58" x 18.40" x 11.02" (82.8 x 46.7 x 28 cm)

Cat. No. 1615AIR WE
Cat. No. 1615AIRNF NE
Cat. No. 1615AIRWD WO
Cat. No. 1615AIRTP TP

Check with airline for exact measurement requirements.



1615TRVL AIR TRAVEL CASE

INTERNAL DIMS:

29.59" x 15.50" x 9.38" (75.2 x 39.4 x 23.8 cm)

EXTERNAL DIMS:

32.58" x 18.40" x 11.02" (82.8 x 46.7 x 28 cm)

Cat. No. 1615TRVL

Case with custom configured lid organizer and with packing cubes also included.

Exclusive TRVL colors available. Check with airline for exact measurement requirements.











1626 AIR



INTERNAL DIMS: 28.14" x 14.10" x 11.72" (71.5 x 35.8 x 29.8)

EXTERNAL DIMS: 31.12" x 17.05" x 13.33" (79 x 43.3 x 33.9)

Cat. No. 1626AIR WF Cat. No. 1626AIRNF NF Cat. No. 1626AIRWD WD



1637 AIR

INTERNAL DIMS:

23.43" x 17.55" x 13.25" (59.5 x 44.6 x 33.7 cm)

EXTERNAL DIMS:

26.61" x 20.65" x 14.87" (67.6 x 52.5 x 37.8 cm)

Cat. No. 1637AIR WF Cat. No. 1637AIRNF NF Cat. No. 1637AIRWD WD



1646 AIR



NEW

1745 AIR



INTERNAL DIMS:

32.06" x 15.87" x 13.42" (81.4 x 40.3 x 34.1 cm)

EXTERNAL DIMS:

35.29" x 19.00" x 15.08" (89.6 x 48.3 x 38.3 cm)

Cat. No. 1646AIR WF Cat. No. 1646AIRNF NE



INTERNAL DIMS:

44.01" x 16.77" x 7.94" (111.8 x 42.6 x 20.2 cm)

EXTERNAL DIMS:

46.69" x 19.36" x 8.73" (118.6 x 49.2 x 22.2 cm)

Cat. No. 1745AIR WE Cat. No. 1745AIRNF NF



1745BOW AIR







INTERNAL DIMS:

44.01" x 16.77" x 7.94" (111.8 x 42.6 x 20.2 cm)

EXTERNAL DIMS:

46.69" x 19.36" x 8.73" (118.6 x 49.2 x 22.2 cm)

Cat. No. 1745AIRBOW

Case with custom configured interior for bowhunters. Bow and arrows not included.



1755 AIR



INTERNAL DIMS:

55.00" x 14.00" x 8.00" (139.7 x 35.6 x 20.3 cm)

EXTERNAL DIMS:

57.82" x 17.30" x 8.86" (146.9 x 43.9 x 22.5 cm)

Cat. No. 1755AIR WE Cat. No. 1755AIRNF NF







PELICAN RUCK™ CASE

OUTSIDE:

- IP68 RATED PROTECTION FROM WATER, DIRT, SNOW AND DUST
- RUBBER EXO-SKELETON
- DUAL PIVOT LATCH
- MULTIPLE EXTERNAL ATTACHMENT POINTS

INSIDE:

- SNAP IN, FLEXIBLE LID ORGANIZER
- LOOP SYSTEM WITH VELCRO® BRAND STRAPS
- CABLE ROUTING HOLE
- RIGID DIVIDER TRAY

PELICAN RUCK™ CASE COLORS AVAILABLE











R20 PELICAN RUCK™ CASE

INTERNAL DIMS: 7.07" x 3.39" x 1.95" (18 x 8.6 x 5 cm)

EXTERNAL DIMS: 8.96" x 4.83" x 2.88" (22.8 x 12.3 x 7.3 cm)

Cat. No. R20



PELICAN GO™ CASE

OUTSIDE:

- IP67 RATED PROTECTION FROM WATER, DIRT, SNOW AND DUST
- RUBBERIZED PROTECTIVE BUMPER
- SINGLE LATCH CLOSURE
- EASY CARRY HANDLE
- WATERTIGHT SEAL

INSIDE:

- ORGANIZING SYSTEM FOR CARDS
- CABLE ROUTING HOLE
- RIGID DIVIDER TRAY

R40 PELICAN RUCK™ CASE

INTERNAL DIMS:

7.63" x 4.70" x 1.90" (19.4 x 11.9 x 4.8 cm)

EXTERNAL DIMS:

9.84" x 6.12" x 2.89" (25 x 15.5 x 7.3 cm)

Cat. No. R40



PELICAN GO™ CASE COLORS AVAILABLE







R60 PELICAN RUCK™ CASE

INTERNAL DIMS:

8.90" x 5.37" x 2.96" (22.6 x 13.6 x 7.5 cm)

EXTERNAL DIMS:

11.14" x 6.86" x 3.88" (28.3 x 17.4 x 9.9 cm)

Cat. No. R60



G40 PELICAN GO™ CASE

INTERNAL DIMS:

7.00" x 3.50" x 1.60" (17.8 x 8.9 x 4.1 cm)

EXTERNAL DIMS:

9.45" x 5.06" x 2.05" (24 x 12.9 x 5.2 cm)

Cat. No. G40






PROTECT WHAT MATTERS WITH MILITARY GRADE PROTECTION

No matter the job, the Pelican[™] Protector Case[™] Series is the standard in offering your equipment the protection it needs and deserves.



PELICAN™
PROTECTOR CASE™
SERIES
COLORS AVAILABLE















OD GREE

SOLID CONSTRUCTION

The Pelican™ Protector Case™ Brand Case uses an open cell core and solid wall construction, which is actually stronger and lighter than a solid core wall. Travel light with heavy protection.



DOUBLE-THROW LATCHES

Double-Throw latches are smarter and easier to open: it's the classic 'C' clamp design with a secondary movement that works like a pry bar to start the release and offers plenty of leverage to open with a light pull.



WATERTIGHT

The secret is the tongue-and-groove fit with a polymer o-ring acting as a waterproof seal. Also, our Automatic Pressure Equalization Valve releases built-up air pressure while keeping water molecules out, resulting in a watertight case that is easy to open.



EASY RIDING

Stainless steel ball bearing wheels (on select cases) last longer and ride smoother. The nylon hub adjacent to the stainless steel resists heat resulting in less wear and tear on the polyurethane tire.



TESTED

The Pelican™ Case design is the result of multiple generations of refinement. This evolution is proven through submergence and other lab tests.

MEMORY CARD & MICRO CASE SERIES™

From small, sensitive components to smartphones, protect your gear from the elements in a Memory Card Case or Micro Case Series™ Case from Pelican.



0915 CASE

INTERNAL DIMS: 4.79" x 2.25" x 0.55" (12.2 x 5.7 x 1.4cm)

EXTERNAL DIMS: 5.55" x 3.27" x 0.85" (14.1 x 8.3 x 2.2cm)

Cat. No. 0915 Stores 12 SD cards or 6 mini SD cards and 6 micro SD cards.



G5 RF FIELD WALLET

INTERNAL DIMS:

.43"x 2.56" x 4.1" (1.1 x 6.5 x 10.4 cm)

EXTERNAL DIMS:

.80" x 3.00" x 5.00" $(2.0 \times 7.6 \times 12.7 \text{ cm})$

Cat. No. G5RFW

The only submersible RFID* blocking wallet available.



* RFID: An acronym for "radio-frequency identification". Blocking RFID prevents data theft and keeps your credit cards safe from being electronically skimmed.

0945 CASE

INTERNAL DIMS:

4.79" x 2.25" x 0.55" (12.2 x 5.7 x 1.4 cm)

EXTERNAL DIMS:

5.55" x 3.27" x 0.85" (14.1 x 8.3 x 2.2 cm)

Cat. No. 0945

Stores 6 compact flash cards.



0955 CASE

INTERNAL DIMS:

4.79" x 2.25" x 0.55" (12.2 x 5.7 x 1.4 cm)

EXTERNAL DIMS:

5.55" x 3.27" x 0.85" (14.1 x 8.3 x 2.2cm)

Cat. No. 0955 Holds keys, ID, cards and cash



0965 CASE

INTERNAL DIMS: 4.79" x 2.25" x 0.55"

(12.2 x 5.7 x 1.4 cm)

EXTERNAL DIMS: 5.55" x 3.27" x 0.85"

(14.1 x 8.3 x 2.2 cm)

Cat. No. 0965

Stores 6 CFexpress and/or XOD cards.



1010 MICRO CASE

INTERNAL DIMS:

4.37" x 2.87" x 1.68" (11.1 x 7.3 x 4.3 cm)

EXTERNAL DIMS:

5.88" x 4.06" x 2.12" (14.9 x 10.3 x 5.4 cm)

Cat. No. 1010

Available in clear with a colored rubber liner (in select colors) or in solid colors with a black rubber liner. Pick N Pluck™ foam inserts are available. Visit www.pelican.com for more details



1020 MICRO CASE

INTERNAL DIMS:

5.31"x 3.56" x 1.68" (13.5 x 9 x 4.3 cm)

EXTERNAL DIMS:

6.82" x 4.75" x 2.12" (17.3 x 12.1 x 5.4 cm)

Cat. No. 1020

Available in clear with a colored rubber liner (in select colors) or in solid colors with a black rubber liner. Pick N Pluck™ foam inserts are available. Visit www.pelican.com for more details.



M40 MICRO CASE

INTERNAL DIMS:

6.00" x 3.80" x 2.10" (15.2 x 9.7 x 5.3 cm)

EXTERNAL DIMS:

6.80" x 5.00" x 2.60" (17.3 x 12.7 x 6.6 cm)

Cat. No. 1040

Available in clear with a colored rubber liner (in select colors) or in solid black with a black rubber liner.



NEW

1015 MICRO CASE

INTERNAL DIMS:

5.14" x 2.64" x 1.37" (13.1 x 6.7 x 3.5 cm)

EXTERNAL DIMS:

6.68" x 3.88" x 1.86" (17 x 9.9 x 4.7 cm)

Cat. No. 1015

Available in clear with black rubber liner. Pick N Pluck™ foam inserts are available. Visit www.pelican.com for more details.



1030 MICRO CASE

INTERNAL DIMS:

6.37" x 2.62" x 2.06" (16.2 x 6.7 x 5.2)

EXTERNAL DIMS:

7.50" x 3.87" x 2.43" (19.1 x 9.8 x 6.2 cm)

Cat. No. 1030

Available in clear with black rubber liner. Pick N Pluck™ foam inserts are available. Visit www. pelican.com for more details.



M50 MICRO CASE

INTERNAL DIMS:

7.30" x 4.30" x 2.40" (18.5 x 10.9 x 6.1 cm)

EXTERNAL DIMS:

8.10" x 5.50" x 2.90" (20.6 x 14 x 7.4 cm)

Cat. No. 1050

Available in clear with a colored rubber liner (in select colors) or in solid black with a black rubber liner.



NEW

M60 MICRO CASE

INTERNAL DIMS: 8.50" x 4.30" x 2.70" (21.6 x 10.9 x 6.9 cm)

EXTERNAL DIMS:

9.30" x 6.00" x 3.20" (23.6 x 15.2 x 8.1 cm)

Cat. No. 1060

Available in clear with a colored rubber liner (in select colors) or in solid black with a black rubber liner.







NEW

SMALL CASES

Lightweight, but extremely strong; compact, yet fully capable. Perfect for valuable gear like hand tools and small to medium electronic components, hand-held GPS systems, and DSLR cameras. All small cases are available empty or with pre-scored Pick N PluckTM foam.



1120

INTERNAL DIMS: 7.29" x 4.78" x 3.33" (18.5 x 12.1 x 8.5 cm)

EXTERNAL DIMS: 8.41" x 6.76" x 3.87" (21.4 x 17.2 x 9.8 cm)

Cat. No. 1120 WE Cat. No. 1120NF NF



1150

INTERNAL DIMS: 8.29" x 5.79" x 3.75" (21.1 x 14.7 x 9.5 cm)

EXTERNAL DIMS: 9.44" x 7.80" x 4.29" (24 x 19.8 x 10.9 cm)

Cat. No. 1150 WF Cat. No. 1150NF NF



1170

INTERNAL DIMS: 10.54" x 6.04" x 3.16" 26.8 x 15.3 x 8 cm)

EXTERNAL DIMS: 11.64" x 8.34" x 3.78" (29.6 x 21.2 x 9.6 cm)

Cat. No. 1170 WE Cat. No. 1170NF NE



1200

INTERNAL DIMS: 9.31" x 7.13" x 4.12" (23.6 x 18.1 x 10.5 cm)

EXTERNAL DIMS: 10.67" x 9.75" x 4.86" (27.1 x 24.8 x 12.3 cm)

Cat. No. 1200 WE Cat. No. 1200NF NE



1300

INTERNAL DIMS: 9.17" x 7.00" x 6.12" (23.3 x 17.8 x 15.5 cm)

EXTERNAL DIMS: 10.62" x 9.68" x 6.87" (27 x 24.6 x 17.4 cm)

Cat. No. 1300 WE Cat. No. 1300NF NE



1400

INTERNAL DIMS: 11.81" x 8.87" x 5.18" (30 x 22.5 x 13.2 cm)


EXTERNAL DIMS: 13.37" x 11.62" x 6.00" (34 x 29.5 x 15.2 cm)

Cat. No. 1400 WE Cat. No. 1400NF NE



DIGITAL PROTECTION CASES

The ultimate in watertight, crushproof, and impact protected cases to transport your small electronics and other vital gear, anywhere on Earth. Digital protection cases provide the peace of mind and protection your laptops and tablets need.



1075

INTERNAL DIMS: 11.11" x 7.92" x 1.63" (28.2 x 20.1 x 4.1 cm)

EXTERNAL DIMS: 12.38" x 9.75" x 2.13" (31.4 x 24.8 x 5.4 cm)

Cat. No. 1075 WF
† Designed to protect various
electronic devices including
external hard drives.



P1075

INTERNAL DIMS: 11.11" x 7.92" x 1.63" (28.2 x 20.1 x 4.1 cm)

EXTERNAL DIMS: 12.38" x 9.75" x 2.13" (31.4 x 24.8 x 5.4 cm)

Cat. No. P1075 WF † Designed to fit pistols, revolvers and magazines.



1085

INTERNAL DIMS: 14.29" x 10.37" x 1.97" (36.3 x 26.3 x 5 cm)

EXTERNAL DIMS: 15.64" x 12.41" x 2.50" (39.7 x 31.5 x 6.4 cm)

Cat. No. 1085 WF + Designed to protect 14" laptops.



WE WITH FOAM
CASE CONTENTS NOT INCLUDED

INTERNAL DIMS: 15.78" x 11.16" x 2.06" (40.1 x 28.3 x 5.2 cm)

EXTERNAL DIMS: 17.18" x 13.24" x 2.60" (43.6 x 33.6 x 6.6 cm)

Cat. No. 1095 WF + Designed to protect 15" laptops.



1470

INTERNAL DIMS: 15.70" x 10.70" x 3.87" (39.9 x 27.2 x 9.8 cm)

EXTERNAL DIMS: 16.88" x 13.23" x 4.47" (42.9 x 33.6 x 11.4 cm)

Cat. No. 1470 WE Cat. No. 1470NF NE



1490

INTERNAL DIMS: 17.75" x 11.37" x 4.12" (45.1 x 28.9 x 10.5 cm)

EXTERNAL DIMS: 19.87" x 13.93" x 4.68" (50.5 x 35.4 x 11.9 cm)

Cat. No. 1490 WF Cat. No. 1490NF NF



1490CC1

INTERNAL DIMS: 17.75" x 11.37" x 4.12" (45.1 x 28.9 x 10.5 cm)

EXTERNAL DIMS: 19.87" x 13.93" x 4.68" (50.4 x 35.4 x 11.9 cm)

Cat. No. 1490CC1
Case with lid organizer, fitted shock absorbing tray, and removable shoulder strap.



1495

INTERNAL DIMS: 18.87" x 13.12" x 3.81" (47.9 x 33.3 x 9.7 cm)

EXTERNAL DIMS: 21.62" x 17.25" x 4.87" (54.9 x 43.8 x 12.4 cm)

Cat. No. 1495 WF Cat. No. 1495NF NF



1495CC1

INTERNAL DIMS: 18.87" x 13.12" x 3.81" (47.9 x 33.3 x 9.7 cm)

EXTERNAL DIMS: 21.62" x 17.25" x 4.87" (54.9 x 43.8 x 12.4 cm)

Cat. No. 1495CC1
Case with lid organizer, shock absorbing tray, nylon padded computer sleeve, accessories pouch, and removable shoulder strap.




1430 TOP LOADER

INTERNAL DIMS: 13.56" x 5.76" x 11.70" (34.4 x 14.6 x 29.7 cm)

EXTERNAL DIMS: 16.40" x 8.71" x 13.15" (41.7 x 22.1 x 33.4 cm)

Cat. No. 1430 WE Cat. No. 1430NF NE Cat. No. 1437

(with padded office divider and lid organizer)



EXTERNAL DIMS: 19.70" x 12.00" x 18.00" (50 x 30.5 x 45.7 cm)

Cat. No. 1440 WF Cat. No. 1440NF NF Cat. No. 1444

(with utility padded divider and lid organizer)

Cat. No. 1447

(with padded office divider and lid organizer)







MEDIUM CASES

Mobility with room for protecting larger gear or multiple instruments and accessories. Interior options are available for extra protection. Select models meet carry-on luggage specifications. Most cases are available empty, with foam, padded dividers or TrekPak™ dividers. See chart on page 31.



Icon indicates select models with wheels

1450

INTERNAL DIMS: 14.66" x 10.24" x 6.12" (37.2 x 26 x 15.5 cm)

EXTERNAL DIMS: 16.44" x 13" x 6.82"

(41.8 x 33 x 17.3 cm)

Cat. No. 1450 WF Cat. No. 1450NF NF

Cat. No. 1454 WD



1460

INTERNAL DIMS: 18.54" x 9.92" x 10.92" (47.1 x 25.2 x 27.7cm)

EXTERNAL DIMS: 20.85" x 12.73" x 12.75" (53 x 32.3 x 32.4 cm)

Cat. No. 1460 WF Cat. No. 1460NF NF





1460 TOOL CASE

INTERNAL DIMS: 18.54" x 9.92" x 10.92" (47.1 x 25.2 x 27.7cm)

EXTERNAL DIMS: 20.85" x 12.73" x 12.75"

(53 x 32.3 x 32.4 cm) Cat. No. 1460TOOL

Case with adjustable and removable tray dividers for easy customization.



1460 EMS

INTERNAL DIMS: 18.54" x 9.92" x 10.92" (47.1 x 25.2 x 27.7 cm)

EXTERNAL DIMS: 20.85" x 12.73" x 12.75" (53 x 32.3 x 32.4 cm)

Cat. No. 1460EMS

Case with adjustable and removable tray dividers for EMS professionals.



1500

INTERNAL DIMS: 16.75" x 11.18" x 6.12" (42.5 x 28.4 x 15.5 cm)

EXTERNAL DIMS: 18.50" x 14.06" x 6.93" (47 x 35.7 x 17.6 cm)

Cat. No. 1500 WF Cat. No. 1500NF NF

Cat. No. 1504 WD



1500 EMS

INTERNAL DIMS: 16.75" x 11.18" x 6.12" (42.5 x 28.4 x 15.5 cm)

EXTERNAL DIMS: 18.50" x 14.06" x 6.93" (47 x 35.7 x 17.6 cm)

Cat. No. 1500EMS

Case with custom configured lid organizer and trays for EMS professionals.



1510 WHEELED CARRY-ON

INTERNAL DIMS:

19.75" x 11.00" x 7.60" (50.2 x 27.9 x 19.3 cm)

EXTERNAL DIMS:

22.00" x 13.81" x 9.00" (55.9 x 35.1 x 22.9 cm)

Cat. No. 1510 WF

Cat. No. 1510NF NF

Cat. No. 1510TP

Cat. No. 1510TPF

Cat. No. 1514 WD

Check with airline for exact measurement requirements.



1510M

INTERNAL DIMS: 19.75" x 11.00" x 7.60"

(50.2 x 27.9 x 19.3 cm)

EXTERNAL DIMS:

23.55" x 14.36" x 10.62" (59.8 x 36.5 x 27 cm)

Cat. No. 1510M WF Cat. No. 1510MNF NF

Mobility version features two oversized wheels for use on rough terrain.



1510 LOC

INTERNAL DIMS:

19.75" x 11.00" x 7.60" (50.2 x 27.9 x 19.3 cm)

EXTERNAL DIMS:

22.00" x 13.81" x 9.00" (55.9 x 35.1 x 22.9 cm)

Cat. No. 1510LOC

Case with fully enclosed apparel insert, padded laptop sleeve, and accessory pouch.



1510 SC

INTERNAL DIMS:

19.75" x 11.00" x 7.60" (50.2 x 27.9 x 19.3 cm)

EXTERNAL DIMS:

22.00" x 13.81" x 9.00" (55.9 x 35.1 x 22.9 cm)

Cat. No. 1510SC

Case with padded dividers, padded laptop sleeve, and accessory pouch.



1510 LFC

INTERNAL DIMS:

19.75" x 11.00" x 7.60" (50.2 x 27.9 x 19.3 cm)

EXTERNAL DIMS:

22.00" x 13.81" x 9.00" (55.9 x 35.1 x 22.9 cm)

Cat. No. 1510LFC

Case with Pick N Pluck™ foam, padded laptop sleeve, and accessory pouch.



1520

INTERNAL DIMS:

18.06" x 12.89" x 6.72" (45.9 x 32.7 x 17.1 cm)

EXTERNAL DIMS:

19.78" x 15.77" x 7.41" (50.2 x 40.1 x 18.8 cm)

Cat. No. 1520 WF Cat. No. 1520NF NF Cat. No. 1524 WD



1550

INTERNAL DIMS:

18.63" x 14.18" x 7.72" (47.3 x 36 x 19.6 cm)

EXTERNAL DIMS:

20.66" x 17.20" x 8.4" (52.5 x 43.7 x 21.3 cm)

Cat. No. 1550 WF

Cat. No. 1550NF NF Cat. No. 1554 WD

Cat. No. 1550TP



1550 EMS

INTERNAL DIMS:

18.43" x 14.00" x 7.62" (46.8 x 35.6 x 19.4 cm)

EXTERNAL DIMS:

20.62" x 16.87" x 8.12" (52.4 x 42.8 x 20.6 cm)

Cat. No. 1550EMS

Case with custom configured lid organizer and trays for EMS professionals.





INTERNAL DIMS: 19.92" x 14.98" x 9.00" (50.6 x 38 x 22.9 cm)

EXTERNAL DIMS: 22.07" x 17.92" x 10.42" (56.1 x 45.5 x 26.5 cm)

Cat. No. 1560 WF Cat. No. 1560NF NF Cat. No. 1560TP TP Cat. No. 1564 WD



1560M

INTERNAL DIMS:

19.92" x 14.98" x 9.00" (50.6 x 38 x 22.9 cm)

EXTERNAL DIMS:

23.78" x 18.33" x 12.08" (60.4 x 46.6 x 30.7 cm)

Cat. No. 1560M WE Cat. No. 1560MNF NE

Mobility version features two oversized wheels for use on rough terrain.



1560SC

INTERNAL DIMS:

19.92" x 14.98" x 9.00" (50.6 x 38 x 22.9 cm)

EXTERNAL DIMS:

22.07" x 17.92" x 10.42" (56.1 x 45.5 x 26.5 cm)

Cat. No. 1560SC

Case with padded dividers, padded laptop sleeve, and accessory pouch.



1560LFC

INTERNAL DIMS:

19.92" x 14.98" x 9.00" (50.6 x 38 x 22.9 cm)

EXTERNAL DIMS:

22.07" x 17.92" x 10.42" (56.1 x 45.5 x 26.5 cm)



1600

INTERNAL DIMS:

21.51" x 16.54" x 7.99" (54.6 x 42 x 20.3 cm)

EXTERNAL DIMS:

24.39" x 19.36" x 8.79" (62 x 49.2 x 22.3 cm)

Cat. No. 1600 WF

Cat. No. 1600NF NF

Cat. No. 1604 WD

Cat. No. 1600TP



1600 EMS

INTERNAL DIMS:

21.51" x 16.54" x 7.99" (54.6 x 42 x 20.3 cm)

EXTERNAL DIMS:

24.39" x 19.36" x 8.79" (62 x 49.2 x 22.3 cm)

Cat. No. 1600EMS

Case with custom configured lid organizer and trays for EMS professionals.



1610

INTERNAL DIMS:

21.78" x 16.69" x 10.62" (55.3 x 42.4 x 27 cm)

EXTERNAL DIMS:

24.83" x 19.69" x 11.88" (63.1 x 50 x 30.2 cm)

Cat. No. 1610 WF

Cat. No. 1610NF NF Cat. No. 1614 WD

Cat. No. 1610TP



1610M

INTERNAL DIMS:

21.78" x 16.69" x 10.62" (55.3 x 42.4 x 27 cm)

EXTERNAL DIMS:

26.20" x 23.00" x 13.68" (66.5 x 58.4 x 34.7 cm)

Cat. No. 1610M WE Cat. No. 1610MNF NE

Mobility version features two oversized wheels for use on rough terrain.





INTERNAL DIMS: 21.48" x 16.42" x 12.54" (54.6 x 41.7 x 31.9 cm)

EXTERNAL DIMS:

24.76" x 19.57" x 13.90" (62.9 x 49.7 x 35.3 cm)

Cat. No. 1620 WF Cat. No. 1620NF NF

Cat. No. 1624 WD



1620M

INTERNAL DIMS:

21.48" x 16.42" x 12.54" (54.6 x 41.7 x 31.9 cm)

EXTERNAL DIMS:

26.20" x 23.00" x 15.61" (66.5 x 58.4 x 39.6 cm)

Cat. No. 1620M WF Cat. No. 1620MNF NF

Mobility version features two oversized wheels for use on rough terrain.



1630

INTERNAL DIMS:

27.70" x 20.98" x 15.50" (70.4 x 53.3 x 39.4 cm)

EXTERNAL DIMS:

31.28" x 24.21" x 17.48" (79.5 x 61.5 x 44.4 cm)

Cat. No. 1630 WF Cat. No. 1630NF NF Cat. No. 1634 WD



1640

INTERNAL DIMS:

23.70" x 24.00" x 13.90" (60.2 x 61 x 35.3 cm)

EXTERNAL DIMS:

27.20" x 27.50" x 16.30" (69.1 x 69.9 x 41.4 cm)

Cat. No. 1640 WF Cat. No. 1640NF NF



1650

INTERNAL DIMS:

28.57" x 17.52" x 10.65" (72.6 x 44.5 x 27.1 cm)

EXTERNAL DIMS:

31.59" x 20.47" x 12.45" (80.2 x 52 x 31.6 cm)

Cat. No. 1650 WF

Cat. No. 1650NF NF Cat. No. 1654 WD

Cat. No. 1650TP TP



1660

INTERNAL DIMS:

28.20" x 19.66" x 17.63" (71.6 x 49.9 x 44.8 cm)

EXTERNAL DIMS:

31.59" x 22.99" x 19.48" (80.2 x 58.4 x 49.5 cm)

Cat. No. 1660 WF

Cat. No. 1660NF NF

Cat. No. 1664

WD

1670

INTERNAL DIMS:

28.10" x 16.49" x 9.19" (71.4 x 41.9 x 23.3 cm)

EXTERNAL DIMS:

31.04" x 19.39" x 11.17" (78.8 x 49.3 x 28.4 cm)

Cat. No. 1670 WF Cat. No. 1670NF NF



1690

INTERNAL DIMS:

30.13" x 25.13" x 15.36" (76.5 x 63.8 x 39 cm)

EXTERNAL DIMS:

33.43" x 28.40" x 17.65" (84.9 x 72.1 x 44.8 cm)

Cat. No. 1690 WF

Cat. No. 1690NF NF Cat. No. 1694 WD



1730

INTERNAL DIMS:

34.00" x 24.00" x 12.50" (86.4 x 61 x 31.8 cm)

EXTERNAL DIMS:

37.05" x 27.20" x 14.37" (94.1 x 69.1 x 36.5 cm)

Cat. No. 1730 WF Cat. No. 1730NF NF





WE WITH FOAM | NE NO FOAM | WD WITH PADDED DIVIDERS | TP WITH TREKPAK™ DIVIDERS CASE CONTENTS NOT INCLUDED

INTERNAL DIMS: 41.12" x 21.54" x 14.88"

(104.4 x 54.7 x 37.8 cm)

EXTERNAL DIMS: 44.90" x 25.32" x 16.50"

(114 x 64.3 x 41.9 cm) Cat. No. 1780 WF Cat. No. 1780NF NF



0340

INTERNAL DIMS:

18.00" x 18.00" x 18.00" (45.7 x 45.7 x 45.7 cm)

EXTERNAL DIMS:

20.50" x 20.50" x 19.25" (52.1 x 52.1 x 48.9 cm)

Cat. No. 0340 WF Cat. No. 0340NF NF



0350

INTERNAL DIMS:

20.00" x 20.00" x 20.00" (50.8 x 50.8 x 50.8 cm)

EXTERNAL DIMS:

22.50" x 22.43" x 21.25" (57.2 x 57 x 54 cm)

Cat. No. 0350 WF Cat. No. 0350NF NF Cat. No. 0354 WD



0370

INTERNAL DIMS:

24.00" x 24.00" x 24.00" (61 x 61 x 61 cm)

EXTERNAL DIMS:

26.50" x 26.50" x 25.25" (67.3 x 67.3 x 64.1 cm)

Cat. No. 0370 WF Cat. No. 0370NF NF



0450

INTERNAL DIMS:

Varies by drawer configuration.

EXTERNAL DIMS:

23.95" x 14.75" x 17.95" (60.8 x 37.5 x 45.6 cm)

Cat. No. 0450SD4 (4 shallow + 2 deep drawers)

Cat. No. 0450SD6 (6 shallow + 1 deep drawer)



INTERNAL DIMS:

0500

34.95" x 18.45" x 25.25" (88.8 x 46.9 x 64.1 cm)

EXTERNAL DIMS:

39.95" x 23.45" x 28.65" (101.5 x 59.6 x 72.8 cm)

Cat. No. 0500 WF Cat. No. 0500NF NF



0550

INTERNAL DIMS:

47.57" x 24.07" x 17.68" (120.8 x 61.1 x 44.9 cm)

EXTERNAL DIMS:

51.05" x 27.54" x 22.79" (129.7 x 70 x 57.9 cm)

Cat. No. 0550 WF Cat. No. 0550NF NF





LONG CASES


Ideal for weapons, but are also used by industrial workers for instruments and gear. Equipped with sturdy polyurethane wheels for ease of transport. All Long Cases are available empty or with solid foam (not Pick N Pluck™ foam). See chart on page 35.



Icon indicates select models with wheels



1700



EXTERNAL DIMS: 38.47" x 16.42" x 6.14" (97.7 x 41.7 x 15.6 cm)

Cat. No. 1700 WE Cat. No. 1700NF NE



1720

INTERNAL DIMS: 41.80" x 13.58" x 5.33" (106.2 x 34.5 x 13.5 cm)

EXTERNAL DIMS: 44.48" x 16.07" x 6.25" (113 x 40.8 x 15.9 cm)

Cat. No. 1720 WE Cat. No. 1720NF NE



1740

INTERNAL DIMS: 40.98" x 12.92" x 12.13" (104.1 x 32.8 x 30.8 cm)

EXTERNAL DIMS: 44.16" x 16.09" x 14.00" (112.2 x 40.9 x 35.6 cm)

Cat. No. 1740 WE Cat. No. 1740NF NE



1750

INTERNAL DIMS: 50.38" x 13.33" x 5.33" (128 x 33.9 x 13.5 cm)

EXTERNAL DIMS: 53.60" x 16.05" x 6.13" (136.1 x 40.8 x 15.6 cm)

Cat. No. 1750 WE Cat. No. 1750NF NE



1770

INTERNAL DIMS: 54.58" x 15.58" x 8.63" (138.6 x 39.6 x 21.9 cm)

EXTERNAL DIMS: 57.42" x 18.48" x 11.23" (145.8 x 46.9 x 28.5 cm)

Cat. No. 1770 WF Cat. No. 1770NF NF



1780

INTERNAL DIMS: 41.12" x 21.54" x 14.88" (104.4 x 54.7 x 37.8 cm)

EXTERNAL DIMS: 44.90" x 25.32" x 16.50" (114 x 64.3 x 41.9 cm)

Cat. No. 1780 WF Cat. No. 1780NF NF Cat. No. 1780HL (rifle hard liner insert)

Cat. No. 1780RF (rifle foam cut insert)







PROFESSIONAL-GRADE PROTECTION WITH EASY-TO-USE LATCHES

The Pelican™ Storm Case™ Series combines our ultra sleek, professional-grade design with easy-to-use, self locking, Press & Pull™ latches for protection and convenience.



PELICAN™ STORM CASE™ SERIES COLORS AVAILABLE









PRESS & PULL™ LATCHES

These smooth-opening, patented latches hold tight under pressure and impact with easy-opening performance. Tested to over 400 lbs., yet open with a simple release button.



MOLDED-IN LOCKABLE HASPS

Twin mating hasp holes on the rim of the case allow padlocks to keep your gear in and thieves out.



VORTEX® PRESSURE RELEASE VALVE

The automatic pressure release valve prevents vacuum lock, making it easy to open your case even after extreme altitude changes. The microscopic filter blocks water molecules and dust particles so your gear stays clean.



RUGGED IN-LINE WHEELS

Shielded from dust, dirt and other contaminants – ball bearing wheels provide low-friction, low-drag rolling for easy movement of heavy loads.

*Select models only.



DOUBLE-LAYER, SOFT-GRIP HANDLES

When the weather goes south you'll find a secure grip that won't slip. An in-tool vulcanizing process over-molds the grips to the polymer handle for a lifetime of dependable performance.

SMALL CASES

Perfect for small gear and instruments, with all the features found in our larger cases: strong HPXTM resin construction, VortexTM valve, and Press & PullTM latches.



iM2050

INTERNAL DIMS:

9.50" x 7.50" x 4.25" (24.1 x 19.1 x 10.8 cm)

EXTERNAL DIMS:

11.80" x 9.80" x 4.70" (30 x 24.9 x 11.9 cm)

Cat. No. iM2050-X0001 WF Cat. No. iM2050-X0000 NF



iM2075

INTERNAL DIMS:

9.50" x 7.50" x 7.25" (24.1 x 19.1 x 18.4 cm)

EXTERNAL DIMS:

11.80" x 9.80" x 7.70" (30 x 24.9 x 19.6 cm)

Cat. No. iM2075-X0001 WF Cat. No. iM2075-X0000 NF



iM2100

INTERNAL DIMS:

13.00" x 9.20" x 6.00" (33 x 23.4 x 15.2 cm)

EXTERNAL DIMS:

14.20" x 11.40" x 6.50" (36.1 x 29 x 16.5 cm)

Cat. No. iM2100-X00010 WF Cat. No. iM2100-X0000 NF



WE WITH FOAM | NE NO FOAM CASE CONTENTS NOT INCLUDED

MEDIUM CASES

From firefighters, EMTs, outdoor enthusiasts, and law enforcement, to industrial engineers and photographers, there's a Pelican™ Storm Case™ Series case for every professional. Built strong in two standard configurations: Pick N Pluck™ foam or empty.



Icon indicates select models with wheels

iM2200

INTERNAL DIMS:

15.00" x 10.50" x 6.00" (38.1 x 26.7 x 15.2 cm)

EXTERNAL DIMS:

16.20" x 12.70" x 6.60" (41.1 x 32.3 x 16.8cm)

Cat. No. iM2200-X0001 WF Cat. No. iM2200-X0000 NF

iM2275

INTERNAL DIMS:

14.12" x 13.19" x 9.90" (35.9 x 33.5 x 25.1 cm)

EXTERNAL DIMS:

15.25" x 15.50" x 10.22" (38.7 x 39.4 x 26 cm)

Cat. No. iM2275-X0001 WF Cat. No. iM2275-X0000 NF





iM2300

INTERNAL DIMS:

17.00" x 11.70" x 6.20" (43.2 x 29.7 x 15.7cm)

EXTERNAL DIMS:

18.20" x 13.9" x 6.70" (46.2 x 35.3 x 17cm)

Cat. No. iM2300-X0001 WF Cat. No. iM2300-X0000 NF



iM2306

INTERNAL DIMS:

17.00" x 6.30" x 6.20" (43.2 x 16 x 15.7cm)

EXTERNAL DIMS:

18.20" x 8.40" x 6.70" (46.2 x 21.3 x 17cm)

Cat. No. iM2306-X0001 WF Cat. No. iM2306-X0000 NF



iM2370 LAPTOP CASE

INTERNAL DIMS:

18.20" x 12.10" x 5.20" (46.2 x 30.7 x 13.2 cm)

EXTERNAL DIMS:

20.00" x 14.70" x 5.80" (50.8 x 37.3 x 14.7 cm)

Cat. No. iM2370-X0001 WF Cat. No. iM2370-X0000 NF



iM2400

INTERNAL DIMS: 18.00" x 13.00" x 6.70" (45.7 x 33 x 17 cm)

EXTERNAL DIMS:

19.20" x 15.20" x 7.30" (48.8 x 38.6 x 18.5 cm)

Cat. No. iM2400-X0001 WF Cat. No. iM2400-X0000 NF



iM2435

55

INTERNAL DIMS:

17.50" x 6.50" x 15.50" (44.5 x 16.5 x 39.4 cm)

EXTERNAL DIMS:

18.63" x 9.25" x 16.50" (47.3 x 23.5 x 41.9 cm)

Cat. No. iM2435-X0001 WF Cat. No. iM2435-X0000 NF



(B)

iM2450

INTERNAL DIMS: 18.00" x 13.00" x 8.40" (45.7 x 33 x 21.3 cm)

EXTERNAL DIMS:

19.20" x 15.20" x 9.00" (48.8 x 38.6 x 22.9 cm)

Cat. No. iM2450-X0001 WF Cat. No. iM2450-X0000 NF



iM2500



INTERNAL DIMS:

20.50" x 11.50" x 7.20" (52.1 x 29.2 x 18.3 cm)

EXTERNAL DIMS:

21.70" x 14.10" x 8.90" (55.1 x 35.8 x 22.6 cm)

Cat. No. iM2500-X0001 WE Cat. No. iM2500-X0000 NE



iM2600

INTERNAL DIMS:

20.00" x 14.00" x 7.70" (50.8 x 35.6 x 19.6 cm)

EXTERNAL DIMS:

21.20" 16.00" x 8.30" (53.8 x 40.6 x 21.1 cm)

Cat. No. iM2600-X0001 WF Cat. No. iM2600-X0000 NF



INTERNAL DIMS:

20.00" x 14.00" x10.00" (50.8 x 35.6 x 25.4 cm)

EXTERNAL DIMS:

21.20" x 16.00" x 10.60" (53.8 x 40.6 x 26.9 cm)

Cat. No. iM2620-X0001 WF Cat. No. iM2620-X0000 NF





LARGE CASES

In the lab or out in the field, a large Pelican™ Storm Case™ Series case with HPX™ resin construction stores and protects valuable and sensitive equipment from the elements. Pick N Pluck™ foam adds extra protection from shock during transport.



Icon indicates select models with wheels

iM2700

INTERNAL DIMS: 22.00" x 17.00" x 8.00" (55.9 x 43.2 x 20.3 cm)

EXTERNAL DIMS: 24.60" x 19.70" x 8.60" (62.5 x 50 x 21.8 cm)

Cat. No. iM2700-X0001 WF Cat. No. iM2700-X0000 NE



iM2720

INTERNAL DIMS: 22.00" x 17.00" x 10.00" (55.9 x 43.2 x 25.4 cm)

EXTERNAL DIMS: 24.60" x 19.70" x 11.70" (62.5 x 50 x 29.7 cm)

Cat. No. iM2720-X0001 WF Cat. No. iM2720-X0000 NF



iM2950

INTERNAL DIMS: 29.00" x 18.00" x 10.50" (73.7 x 45.7 x 26.7 cm)

EXTERNAL DIMS: 31.30" x 20.40" x 12.20" (79.5 x 51.8 x 31 cm)

Cat. No. iM2950-X0001 WF Cat. No. iM2950-X0000 NF



iM2750

INTERNAL DIMS: 22.00" x 17.00" x 12.70" (55.9 x 43.2 x 32.2 cm)

EXTERNAL DIMS: 24.60" x 19.70" x 14.40" (62.5 x 50 x 36.6 cm)

Cat. No. iM2750-X0001 WF Cat. No. iM2750-X0000 NF



iM2875

INTERNAL DIMS: 22.50" x 21.10" x 11.40" (57.2 x 53.6 x 29 cm)

EXTERNAL DIMS: 24.90" x 23.70" x 13.10" (63.2 x 60.2 x 33.3 cm)

Cat. No. iM2870-X0001 WF Cat. No. iM2870-X0000 NF



iM2975



INTERNAL DIMS: 29.00" x 18.00" x 13.80" (73.7 x 45.7 x 35.1 cm)

EXTERNAL DIMS: 31.30" x 20.40" x 15.50" (79.5 x 51.8 x 39.4 cm)

Cat. No. iM2975-X0001 WF

Cat. No. iM2975-X0000 NF

iM3075



29.80" x 20.80" x 17.80" (75.7 x 52.8 x 45.2 cm)

EXTERNAL DIMS:

33.30" x 24.40" x 19.30" (84.6 x 62 x 49 cm)

Cat. No. iM3075-X0001 WF Cat. No. iM3075-X0000 NF



iM3100



INTERNAL DIMS:

36.50" x 14.00" x 6.00" (92.7 x 35.6 x 15.2 cm)

EXTERNAL DIMS:

39.80" x 16.50" x 6.70" (101.1 x 41.9 x 17 cm)

Cat. No. iM3100-X0001 WF Cat. No. iM3100-X0000 NF



iM3200



INTERNAL DIMS:

44.00" x 14.00" x 6.00" (111.8 x 35.6 x 15.2 cm

EXTERNAL DIMS:

47.20" x 16.50" x 6.70" (119.9 x 41.9 x 17 cm)

Cat. No. iM3200-X0001 WF Cat. No. iM3200-X0000 NF

iM3220



INTERNAL DIMS:

44.00" x 14.00" x 8.50" (111.8 x 35.6 x 21.6 cm)

EXTERNAL DIMS:

47.20" x 16.50" x 9.20" (119.9 x 41.9 x 23.4 cm)

Cat. No. iM3220-X0001 WF Cat. No. iM3220-X0000 NF



iM3300



50.50" x 14.00" x 6.00" (128.3 x 35.6 x 15.2 cm)

EXTERNAL DIMS:

53.80" x 16.50" x 6.70" (136.7 x 41.9 x 17 cm)

Cat. No. iM3300-X0001 WF Cat. No. iM3300-X0000 NF





iM3410




INTERNAL DIMS:

54.50" x 10.00" x 6.00" (138.4 x 25.4 x 15.2 cm)

EXTERNAL DIMS:

57.74" x 12.71" x 6.67" (146.7 x 32.3 x 16.9 cm





	C = Configuration and/or Accessory Kit Available (on black and select colors) S = Standard feature O = Optional accessory only				Q.	NDLE	rzed ES	CARD	VIDERS	KIT	IZERS	MES		
	CAT. NO.	INTERIOR DIMENSIONS		0 = Opti	EXTERIOR DIMENSIONS		RUBBERIZED HANDLES	WHEELS & TROLLEY HANDLE	PERSONALIZED NAMEPLATES	BUSINESS (PADDED DIVIDERS	TREKPAK™	LID ORGANIZERS	PANEL FRAMES
		inches	centimeters	77.0	inches	centimeters	_	>=	āź		2	F	=	2
	1465 AIR	18.62 x 9.99 x 10.93	(47.3 x 25.4 x 27		20.83 x 12.62 x 12.75	(52.9 x 32.1 x 32.4)	S			S				
	1465 EMS	18.62 x 9.99 x 10.93	(47.3 x 25.4 x 27	,	20.83 x 12.62 x 12.75	(52.9 x 32.1 x 32.4)	S			S				
	1485 AIR	17.75 x 10.18 x 6.15	(45.1 x 25.9 x 15		19.17 x 12.80 x 6.89	(48.7 x 32.5 x 17.5)	S			S	С	С		
	1506 AIR	18.70 x 9.40 x 7.80	(47.5 x 23.9 x 19		20.12 x 12.02 x 8.56	(51.1 x 30.5 x 21.7)	S			S	С	С		
	1507 AIR 1525 AIR	15.15 x 11.38 x 8.52 20.50 x 11.30 x 6.75	(38.5 x 28.9 x 2		16.87 x 14.10 x 9.27	(42.8 x 35.8 x 23.5)	S			S	С	С		
	1525 AIR 1535 AIR	20.39 x 11.20 x 7.20	(52.1 x 28.7 x 17 (51.8 x 28.4 x 18		21.96 x 13.97 x 7.49 21.96 x 13.97 x 8.98	(55.8 x 35.5 x 19) (55.8 x 35.5 x 22.8)	S	S		S	С	С	С	
	1555 AIR 1555 AIR	23.00 x 12.75 x 7.50	(58.4 x 32.4 x 19		24.76 x 15.46 x 8.24	(62.9 x 39.3 x 20.9)	S	3		S	С	С		
8	1556 AIR	21.63 x 10.76 x 8.97	(54.9 x 27.3 x 2	,	23.43 x 13.52 x 10.57	(59.5 x 34.3 x 26.8)	S	S		S	-			
AIR CASES	1557 AIR	17.33 x 13.00 x 9.75	(44.0 x 33.0 x 2		19.18 x 15.79 x 10.50	(48.7 x 40.1 x 26.7)	S	1		S	С	С		
<u> </u>	1605 AIR	26.00 x 14.00 x 8.38	(66 x 35.6 x 21.	,	28.87 x 16.77 x 9.12	(73.3 x 42.6 x 23.2)	S			S	С	С		
¥	1606 AIR	24.54 x 12.30 x 10.22	(62.3 x 31.2 x 2		27.42 x 15.13 x 11.83	(69.6 x 38.4 x 30)	S	S		S	_	_		
	1607 AIR	21.05 x 15.81 x 11.63	(53.5 x 40.2 x 2		24.13 x 18.80 x 13.25	(61.3 x 47.8 x 33.7)	S	S		S	С			
	1615 AIR	29.59 x 15.50 x 9.38	(75.2 x 39.4 x 23		32.58 x 18.40 x 11.02	(82.8 x 46.7 x 28)	S	S		S	С	С	С	
	1626 AIR	28.14 x 14.10 x 11.72	(71.5 x 35.8 x 2		31.12 x 17.05 x 13.33	(79 x 43.3 x 33.9)	S	S		S	С			
	1637 AIR	23.43 x 17.55 x 13.25	(59.5 x 44.6 x 3	33.7)	26.61 x 20.65 x 14.87	(67.6 x 52.5 x 37.8)	S	S		S	С			
	1646 AIR	32.06 x 15.87 x 13.42	(81.4 x 40.3 x 3	,	35.29 x 19.00 x 15.08	(89.6 x 48.3 x 38.3)	S	S		S				
	1745 AIR	44.01 x 16.77 x 7.94	(111.8 x 42.6 x 2	20.2)	46.69 x 19.36 x 8.73	(118.6 x 49.2 x 22.2)	S	S		S				
	1755 AIR	55.00 x 14.00 x 8.00	(139.7 x 35.6 x 2	20.3)	57.82 x 17.30 x 8.86	(146.9 x 43.9 x 22.5)	S	S		S				
	GO 40	7.00 x 3.50 x 1.60	(17.8 x 8.9 x 4.1	1)	9.45 x 5.06 x 2.05	(24 x 12.9 x 5.2)								
ERSONA UTILITY CASES	RUCK 20	7.07 x 3.39 x 1.95	(18 x 8.6 x 5)		8.96 x 4.83 x 2.88	(22.8 x 12.3 x 7.3)								
RS I	RUCK 40	7.63 x 4.70 x 1.90	(19.4 x 11.9 x 4.	.8)	9.84 x 6.12 x 2.89	(25 x 15.5 x 7.3)								
11	RUCK 60	8.90 x 5.37 x 2.96	(22.6 x 13.6 x 7.	7.5)	11.14 x 6.86 x 3.88	(28.3 x 17.4 x 9.9)	9.9)							
MC/SWC	0915/0945 0955/0965	4.79 x 2.25 x 0.55	(1.1 x 6.5 x 10.4	4 cm)	5.55 x 3.27 x Ø.85	(14.1 x 8.3 x 2.2)								
Ω	G5 RF	.43 x 2.56 x 4.1	(12.2 x 5.7 x 1.4	4)	.80 x 3.00 x 5.00	(2.0 x 7.6 x 12.7 cm)								
	1010	4.37 x 2.87 x 1.68	(11.1 x 7.3 x 4.3)	3)	5.88 x 4.06 x 2.12	(14.9 x 10.3 x 5.4)								
щ	1015	5.14 x 2.64 x 1.37	(13.1 x 6.7 x 3.5	5)	6.68 x 3.88 x 1.86	(17 x 9.9 x 4.7)								
MICRO CASE SERIES™	1020	5.31 x 3.56 x 1.68	(13.5 x 9 x 4.3)		6.82 x 4.75 x 2.12	(17.3 x 12.1 x 5.4)	5.4)							
2 E	1030	6.37 x 2.62 x 2.06	(16.2 x 6.7 x 5.2		7.50 x 3.87 x 2.43	(19 x 9.8 x 6.2)								
된 당 등	M40	6.00 x 3.80 x 2.10	(15.2 x 9.7 x 5.3	,	6.80 x 5.00 x 2.60	(17.3 x 12.7 x 6.6) (20.6 x 14 x 7.4)								
-	M50	7.30 x 4.30 x 2.40	(18.5 x 10.9 x 6		8.10 x 5.50 x 2.90									
<u> </u>	M60	8.50 x 4.30 x 2.70	(21.6 x 10.9 x 6.		9.30 x 6.00 x 6.9	(23.6 x 15.2 x 8.1)								
ε o	1120	7.29 x 4.78 x 3.33	(18.5 x 12.2 x 8.		8.41 x 6.76 x 3.87	(21.4 x 17.2 x 9.8)						0		0
PROTECTOR" SMALL CASES	1150	8.29 x 5.79 x 3.75	(21.1 x 14.7 x 9.		9.44 x 7.80 x 4.29	(24 x 19.8 x 10.9)						0		0
	1170 1200	10.54 x 6.04 x 3.16	(26.8 x 15.3 x 8)		11.64 x 8.34 x 3.78	(29.6 x 21.2 x 9.6)						0		0
₹ SQT	1300	9.25 x 7.12 x 4.12 9.17 x 7.00 x 6.12	(23.5 x 18.1 x 16 (23.3 x 17.8 x 15	,	10.62 x 9.68 x 4.87 10.62 x 9.68 x 6.87	(27 x 24.6 x 12.4) (27 x 24.6 x 17.4)						0		0
교등	1400	11.81 x 8.87 x 5.18	(30 x 22.5 x 13.		13.37 x 11.62 x 6.00	(33.9 x 29.5 x 15.2)	S		0			0		0
8	1450	14.66 x 10.24 x 6.12	(37.2 x 26 x 15.5	,	16.54 x 13.03 x 6.84	(42 x 33.1 x 17.4)	S		0		С	0		0
	1460	18.54 x 9.92 x 10.92	(47.1 x 25.2 x 27		20.85 x 12.73 x 12.75	(52.9 x 32.3 x 32.4)	S		Ť		j		0	Ť
OR"	1500	16.75 x 11.18 x 6.12	(42.5 x 28.4 x 15		18.50 x 14.06 x 6.93	(47 x 35.7 x 17.6)	S		0		С	0	С	0
OĽ,	1500 EMS	16.75 x 11.18 x 6.12	(42.5 x 28.4 x 1		18.50 x 14.06 x 6.93	(47 x 35.7 x 17.6)	S		0		С	0	С	0
PROTECTO MEDIUM CA	1510	19.75 x 11.00 x 7.60	(50.1 x 27.9 x 19		22.00 x 13.81 x 9.00	(55.9 x 35.1 x 22.9)	S	S	0		С	С	С	
ED I	1520	18.06 x 12.89 x 6.72	(45.9 x 32.7 x 17	x 27.9 x 19.3) 22.00 x 13.81 x 9.00 x 32.7 x 17.1) 19.78 x 15.77 x 7.41		(50.2 x 40 x 18.8)	S		0		С	0	0	0
ΞΣ	1550	18.43 x 14.00 x 7.62	(46.8 x 35.5 x 1			(52.4 x 42.8 x 20.6)	S		0		С	0	С	0
	1550 EMS	18.43 x 14.00 x 7.62	(46.8 x 35.5 x 1	19.3)	20.62 x 16.87 x 8.12 (52.4 x 42.8 x 20.6) S				0		С	0	С	0
	1075	11.11 x 7.92 x 1.63	(28.2 x 20.1 x 4		12.38 x 9.75 x 2.13	(31.4 x 24.8 x 5.4)								
ဟု	P1075	11.11 x 7.92 x 1.63	(28.2 x 20.1 x 4	4.1)	12.38 x 9.75 x 2.13	(31.4 x 24.8 x 5.4)								
ASE	1085	14.29 x 10.37 x 1.97	(36.3 x 26.3 x 5	5)	15.64 x 12.41 x 2.50	(39.7 x 31.5 x 6.3)								
O Z	1095	15.78 x 11.16 x 2.06	(40.1 x 28.3 x 5	5.2)	17.18 x 13.24 x 2.60	(43.6 x 33.6 x 6.6)								
2	1095CC	15.78 x 11.16 x 2.06	(40.1 x 28.3 x 5		17.18 x 13.24 x 2.60	(43.6 x 33.6 x 6.6)								
E	1470	15.70 x 10.70 x 3.87	(39.9 x 27.2 x 9.		16.88 x 13.23 x 4.47	(42.9 x 33.6 x 11.3)	S		0					
ROT	1490	17.75 x 11.37 x 4.12	(45.1 x 28.9 x 10	-	19.87 x 13.93 x 4.68	(50.4 x 35.4 x 11.9)	S		0				0	
<u> </u>	1490CC1	17.75 x 11.37 x 4.12	(45.1 x 28.9 x 10		19.87 x 13.93 x 4.68	(50.4 x 35.4 x 11.9)	S		0				S	
DIGITAL PROTECTION CASES	1495	18.87 x 13.12 x 3.81	(47.9 x 33.3 x 9.		21.62 x 17.25 x 4.87	(54.9 x 43.8 x 12.4)	S		0				-	
DIG	1495CC1	18.87 x 13.12 x 3.81	(47.9 x 33.3 x 9.		21.62 x 17.25 x 4.87	(54.9 x 43.8 x 12.4)	S		0		_		S	
0	1430	13.56 x 5.76 x 11.70	(34.4 x 14.6 x 29		16.40 x 8.71 x 13.15	(41.6 x 22.1 x 33.4)	S	0	0		С		С	0
Consession of the Consession o	1440	17.10 x 7.50 x 16.00	(43.4 x 19 x 40.	1.0)	19.70 x 12.00 x 18.00	(50 x 30.5 x 45.7)	S	S	0	11.11.11	С	800	С	1111

			S = Standard feature O = Optional accessory only					LIZED	S CARD	DIVIDER	₩ KIT	NIZERS	AMES
	CAT. NO.	INTERIOR DIMENSIONS inches	centimeters	EXTERIOR DIMENSIONS inches	centimeters	RUBBERIZ HANDLES	WHEELS & TROLLEY HANDLE	PERSONA NAME PL/	BUSINESS (HOLDER	PADDED I	TREKPAK" KIT	LID ORG/	PANEL FRAMES
The Park of the Pa	1560	19.92 x 14.98 x 9.00	(50.6 x 38 x 22.9)	22.07 x 17.92 x 10.42	(56 x 45.5 x 26.5)	S	S	0	\Box	С	С	С	
	1600	21.51 x 16.54 x 7.99	(54.6 x 42 x 20.3)	24.39 x 19.36 x 8.79	(61.9 x 49.2 x 22.3)	S	H	0		С	С	0	
	1600 EMS	21.51 x 16.54 x 7.99	(54.6 x 42 x 20.3)	24.39 x 19.36 x 8.79	(61.9 x 49.2 x 22.3)	S	\vdash	0		С	С	c	
	1610	21.78 x 16.69 x 10.62	(55.3 x 42.4 x 27)	24.83 x 19.69 x 11.88	(63 x 50 x 30.2)	S	S	0		С	С	0	
	1620	21.48 x 16.42 x 12.54	(54.5 x 41.7 x 31.8)	24.76 x 19.57 x 13.90	(62.9 x 49.7 x 35.3)	S	S	0		С		0	
ιχ	1630	27.70 x 20.98 x 15.50	(70.3 x 53.3 x 39.4)	31.28 x 24.21 x 17.48	(79.4 x 61.5 x 44.4)		S	0	0	С		0	
ASE	1640	23.70 x 24.00 x 13.90	(60.2 x 60.9 x 35.3)	27.20 x 27.50 x 16.30	(69.1 x 69.8 x 41.4)		S	0		0			
E C	1650	28.57 x 17.52 x 10.62	(72.5 x 44.5 x 27)	31.59 x 20.47 x 12.45	(80.2 x 52 x 31.6)		S	0		С	С	0	
RG	1660	28.20 x 19.66 x 17.63	(71.6 x 49.9 x 44.8)	31.59 x 22.99 x 19.48	(80.2 x 58.4 x 49.5)	-	S	0		С		0	
۲	1670	28.10 x 16.49 x 9.19	(71.3 x 41.9 x 23.3)	31.04 x 19.39 x 11.17	(78.8 x 49.2 x 28.4)		S	0					
	1690	30.13 x 25.13 x 15.36	(76.5 x 63.8 x 39)	33.43 x 28.40 x 17.65	(84.9 x 72.1 x 44.8)	-	S	0			\neg	0	
L)	1730	34.00 x 24.00 x 12.50	(86.3 x 60.9 x 31.7)	37.50 x 27.13 x 14.37	(95.2 x 68.9 x 36.5)		S	0					
PROTECTOR" LARGE CASES	1780	41.12 x 21.54 x 14.88	(104.4 x 54.7 x 37.8)	44.90 x 25.32 x 16.50	(114 x 64.3 x 41.9)		S	0					
P.	0340	18.00 x 18.00 x 18.00	(45.7 x 45.7 x 45.7)	20.50 x 20.50 x 19.25	(52 x 52 x 48.9)		S	0					
	0350	20.00 x 20.00 x 20.00	(50.8 x 50.8 x 50.8)	22.50 x 22.43 x 21.25	(57.1 x 56.9 x 54)	-	-	-				\neg	
	0370	24.00 x 24.00 x 24.00	(60.9 x 60.9 x 60.9)	26.50 x 26.50 x 25.25	(67.3 x 67.3 x 64.1)		_	_		0		0	
	0450	Varies by drawer configuration	(23.95 x 14.75 x 17.95			_	0					
	0500	34.95 x 18.45 x 25.25	(88.7 x 46.8 x 64.1)	39.95 x 23.45 x 28.65		x 37.5 x 45.6) S (4 x 59.5 x 72.7) O 6 x 69.9 x 57.9) O x 41.7 x 15.6) S							
	0550	47.57 x 24.07 x 17.68	(120.8 x 61.1 x 44.9)	51.05 x 27.54 x 22.79		(x 64.1) 0 0 0 5 x 45.6) S 0 .5 x 72.7) 0 0 .9 x 57.9) 0 0 (x 15.6) S 0 x 15.9) S 0							
	1700	35.76 x 13.73 x 5.35	(90.8 x 34.9 x 13.6)	38.47 x 16.42 x 6.14	15 x 28.65 (101.4 x 59.5 x 72.7) 0 16 4 x 22.79 (129.6 x 69.9 x 57.9) 0 2 x 6.14 (97.7 x 41.7 x 15.6) S 107 x 6.25 (113 x 40.8 x 15.9) S O								
ES S	1720	41.80 x 13.58 x 5.33	(106.2 x 34.5 x 13.5)	44.48 x 16.07 x 6.25	,		_	0				\neg	
OT:	1740	40.98 x 12.92 x 12.13	(104 x 32.8 x 30.8)	44.16 x 16.09 x 14.00	(112.1 x 40.9 x 35.5)		S	0					
PROTECTOR" LONG CASES	1750	50.38 x 13.33 x 5.33	(128 x 33.9 x 13.5)	53.60 x 16.05 x 6.13	(136.1 x 40.8 x 15.6)		S	0				\neg	
5 K	1770	54.58 x 15.58 x 8.63	(138.6 x 39.6 x 21.9)	57.42 x 18.48 x 11.23	(145.8 x 46.9 x 28.5)		S	0					
	1780	41.12 x 21.54 x 14.88	(104.4 x 54.7 x 37.8)	44.90 x 25.32 x 16.50	(114 x 64.3 x 41.9)		S	0					
	iM2050-X0001	9.50" x 7.50" x 4.25"	(24.1 x 19.1 x 10.8)	11.80" x 9.80" x 4.70"	(30 x 24.9 x 11.9)	S							0
	iM2075-X0001	9.50" x 7.50" x 7.25"	(24.1 x 19.1 x 18.4)	11.80" x 9.80" x 7.70"	(30 x 24.9 x 19.6)	S							0
	iM2100-X0001	13.00" x 9.20" x 6.00"	(33 x 23.4 x 15.2)	14.20" x 11.40" x 6.50"	(36.1 x 29 x 16.5)	S					0		0
	iM2200-X0001	15.00" x 10.50" x 6.00"	(38.1 x 26.7 x 15.2)	16.20" x 12.70" x 6.60"	(41.1 x 32.3 x 16.8)	S					0		0
	iM2275-X0001	14.12" x 13.19" x 9.90"	(35.9 x 33.5 x 25.1)	15.25" x 15.50" x 10.22"	(38.7 x 39.4 x 26)	S					0		0
	iM2300-X0001	17.00" x 11.70" x 6.20"	(43.2 x 29.7 x 15.7)	18.20" x 13.9" x 6.70"	(46.2 x 35.3 x 17)	S					0		0
	iM2306-X0001	17.00" x 6.30" x 6.20"	(43.2 x 16 x 15.7)	18.20" x 8.40" x 6.70"	(46.2 x 21.3 x 17)	S							0
	iM2370-X0001	18.20" x 12.10" x 5.20"	(46.2 x 30.7 x 13.2)	20.00" x 14.70" x 5.80"	(50.8 x 37.3 x 14.7)	S							
ES	iM2400-X0001	18.00" x 13.00" x 6.70"	(45.7 x 33 x 17)	19.20" x 15.20" x 7.30"	0" (48.8 x 38.6 x 18.5)						0		0
E	iM2435-X0001	17.50" x 6.50" x 15.50"	(44.5 x 16.5 x 39.4)	18.63" x 9.25" x 16.50"									
β	iM2450-X0001	18.00" x 13.00" x 8.40"	(45.7 x 33 x 21.3)	19.20" x 15.20" x 9.00"	(47.3 x 23.5 x 41.9) (48.8 x 38.6 x 22.9)						0		0
ASE	iM2500-X0001	20.50" x 11.50" x 7.20"	(52.1 x 29.2 x 18.3)	21.70" x 14.10" x 8.90"	(55.1 x 35.8 x 22.6)	S	S				0		0
S C	iM2600-X0001	20.00" x 14.00" x 7.70"	(50.8 x 35.5 x 19.6)	21.20" x 16.00" x 8.30"	(53.8 x 40.6 x 21.1)	S					0		0
PELICAN" STORM CASE" SERIES	iM2620-X0001	20.00" x 14.00" x 10.00"	(50.8 x 35.6 x 25.4)	21.20" x 16.00" x 10.60"	(53.8 x 40.6 x 26.9)	S	S				0		0
ST	iM2700-X0001	22.00" x 17.00" x 8.00"	(55.9 x 43.2 x 20.3)	24.60" x 19.70" x 8.60"	(62.5 x 50 x 21.8)	S						0	0
Ž.	iM2720-X0001	22.00" x 17.00" x 10.00"	(55.9 x 43.2 x 25.4)	24.60" x 19.70" x 11.70	(62.5 x 50 x 29.7)	S	S				0	0	0
IC I	iM2750-X0001	22.00" x 17.00" x 12.70"	(55.9 x 43.2 x 32.3)	24.60" x 19.70" x 14.40"	(62.5 x 50 x 36.6)	S	S					0	0
E	iM2875-X0001	22.50" x 21.10" x 11.40"	(57.2 x 53.6 x 29)	24.90" x 23.70" x 13.10"	(63.2 x 60.2 x 33.3)	S	S						0
	iM2950-X0001	29.00" x 18.00" x 10.50"	(73.7 x 45.7 x 26.7)	31.30" x 20.40" x 12.20"	(79.5 x 51.8 x 31)	S	S					0	0
	***************************************		((_	_

31.30" x 20.40" x 15.50"

33.30" x 24.40" x 19.30"

39.80" x 16.50" x 6.70

47.20" x 16.50" x 6.70"

47.20" x 16.50" x 9.20"

53.80" x 16.50" x 6.70"

57.74" x 12.71" x 6.67"

iM2975-X0001

iM3075-X0001

iM3100-X0001

iM3200-X0001

iM3220-X0001 iM3300-X0001

iM3410-X0001

29.00" x 18.00" x 13.80"

29.80" x 20.80" x 17.80"

36.50" x 14.00" x 6.00"

44.00" x 14.00" x 6.00"

44.00" x 14.00" x 8.50"

50.50" x 14.00" x 6.00"

54.50" x 10.00" x 6.00"

(73.7 x 45.7 x 35.1)

(75.7 x 52.8 x 45.2)

(92.7 x 35.5 x 15.2)

(111.8 x 35.6 x 15.2)

(111.8 x 35.6 x 21.6)

(128.3 x 35.6 x 15.2)

(138.4 x 25.4 x 15.2)

C = Configuration and/or Accessory Kit Available (on black and select colors)

& FEATURES

S S

S S

S S S S

S S S

S S

S

(79.5 x 51.8 x 39.4)

(84.6 x 62 x 49)

(101.1 x 41.9 x 17)

(119.9 x 41.9 x 17)

(136.7 x 41.9 x 17)

(146.7 x 32.3 x 16.9)

(119.9 x 41.9 x 23.4)

0 0

0

CASE INTERIOR SIZE COMPARISON

Interior size comparison chart features the smallest case size [top] to largest case size [bottom], based on interior volume size.

PELICAN" STORM CASE" SERIES

PELICAN™ AIR CASE SERIES

PELICAN™ PROTECTOR CASE™ SERIES

CAT. NO.	INTERIOR DIMENSIONS inches	centimeters	WEIGHT lbs	kg
1120 PROTECTOR	7.29" x 4.78" x 3.33"	$(18.5 \times 12.1 \times 8.5)$	1.34	0.608
1150 PROTECTOR	8.29" x 5.79" x 3.75"	$(21.1 \times 14.7 \times 9.5)$	1.61	0.730
1170 PROTECTOR	10.54" x 6.04" x 3.16"	$(26.8 \times 15.3 \times 8)$	1.96	0.889
1200 PROTECTOR	9.25" x 7.12" x 4.12"	$(23.5 \times 18.1 \times 10.5)$	2.65	1.202
iM2050 STORM	9.5" x 7.5" x 4.25"	$(24.1 \times 19.1 \times 10.8)$	2.7	1.225
1300 PROTECTOR	9.17" x 7" x 6.12"	(23.3 × 17.8 × 15.5)	3.09	1.402
iM2075 STORM	9.5" x 7.5" x 7.25"	$(24.1 \times 19.1 \times 18.4)$	3.3	1.497
1400 PROTECTOR	11.81" x 8.87" x 5.18"	(30 x 22.5 x 13.2)	3.97	1.801
1470 PROTECTOR	15.7" x 10.7" x 3.87"	$(39.9 \times 27.2 \times 9.8)$	4.28	1.941
iM2306 STORM	17" x 6.3" x 6.2"	$(43.2 \times 16 \times 15.7)$	4.3	1.950
iM2100 STORM	13" x 9.2" x 6"	$(33 \times 23.4 \times 15.2)$	4.2	1.905
1490 PROTECTOR	17.75" x 11.37" x 4.12"	$(45.1 \times 28.9 \times 10.5)$	5.47	2.481
1450 PROTECTOR	14.66" x 10.24" x 6.12"	$(37.2 \times 26 \times 15.5)$	5.51	2.499
1495 PROTECTOR	18.87" x 13.12" x 3.81"	(47.9 × 33.3 × 9.7)	7.23	3.279
iM2200 STORM	15" x 10.5" x 6"	$(38.1 \times 26.7 \times 15.2)$	4.9	2.223
1485 AIR	17.75" x 10.18" x 6.15"	$(45.1 \times 25.9 \times 15.6)$	4.57	2.073
iM2370 STORM	18.2" x 12.1" x 5.2"	$(46.2 \times 30.7 \times 13.2)$	5.7	2.585
1500 PROTECTOR	16.75" x 11.18" x 6.12"	$(42.5 \times 28.4 \times 15.5)$	7.13	3.234
iM2300 STORM	17" x 11.7" x 6.2"	$(43.2 \times 29.7 \times 15.7)$	5.9	2.676
1506 AIR	18.70" × 9.40" × 7.80"	$(47.5 \times 23.9 \times 19.8)$	5.35	2.426
1507 AIR	15.15" x 11.38" x 8.52"	$(38.5 \times 28.9 \times 21.6)$	5.24	2.377
1520 PROTECTOR	18.06" x 12.89" x 6.72"	$(45.9 \times 32.7 \times 17.1)$	8.29	3.760
1525 AIR	20.5" x 11.31" x 6.75"	$(52.1 \times 28.7 \times 17.1)$	5.99	2.717
iM2400 STORM	18" x 13" x 6.7"	$(45.7 \times 33 \times 17)$	6.5	2.948
1535 AIR	20.39" x 11.2" x 7.21"	$(51.8 \times 28.4 \times 18.3)$	8.69	3.942
1510 PROTECTOR	19.75" x 11" x 7.6"	$(50.2 \times 27.9 \times 19.3)$	11.99	5.439
iM2500 STORM	20.5" x 11.5" x 7.2"	$(52.1 \times 29.2 \times 18.3)$	11.1	5.035
iM2435 STORM	17.5" x 6.5" x 15.5"	$(44.5 \times 16.5 \times 39.4)$	10	4.536
iM2275 STORM	14.12" x 13.19" x 9.9"	$(35.9 \times 33.5 \times 25.1)$	œ	3.629
iM2450 STORM	18" x 13" x 8.4"	$(45.7 \times 33 \times 21.3)$	7.4	3.357
1460 PROTECTOR	18.54" x 9.92" x 10.92"	$(47.1 \times 25.2 \times 27.7)$	8.75	3.969
1465 AIR / 1465 EMS	18.62" x 9.99" x 10.93"	$(47.3 \times 25.4 \times 27.8)$	7.12	3.230
1550 PROTECTOR	18.63" x 14.18" x 7.72"	$(47.3 \times 36 \times 19.6)$	10.58	4.799
iM2600 STORM	20" x 14" x 7.7"	(50.8 x 35.6 x 19.6)	8.5	3.856
1557 AIR	17.33" x 13" x 9.75"	$(44 \times 33 \times 24.8)$	9.9	2.994
1556 AIR	21.63" x 10.76" x 8.97"	$(54.9 \times 27.3 \times 22.8)$	9.75	4.422
1555 AIR	23" x 12.75" x 7.5"	$(58.4 \times 32.4 \times 19.1)$	7:37	3.343
1700 PROTECTOR	35.76" x 13.73" x 5.35"	(90.8 × 34.9 × 13.6)	15.1	8.9

CAT. NO.	INTERIOR DIMENSIONS inches	centimeters	WEIGHT lbs	kg
1560 PROTECTOR	19.92" × 14.98" × 9"	(50.6 x 38 x 22.9)	17	7.711
0340 PROTECTOR	18" x 18" x 18"	$(45.7 \times 45.7 \times 45.7)$	24	10.886
im2620 STORM	20" x 14" x 10"	(50.8 x 35.6 x 25.4)	12.5	5.670
1607 AIR	21.05" x 15.81" x 11.63"	$(53.5 \times 40.2 \times 29.5)$	13.20	5.987
1600 PROTECTOR	21.51" x 16.54" x 7.99"	$(54.6 \times 42 \times 20.3)$	13	5.897
0450 PROTECTOR	20.56" x 10.97" x 12.65"	(52.2 × 27.9 × 32.1)	41.50	18.8
1720 PROTECTOR	41.80" x 13.58" x 5.33"	(106.2 × 34.5 × 13.5)	18.25	8.30
iM2700 STORM	22" x 17" x 8"	(55.9 x 43.2 x 20.3)	11.1	5.035
1605 AIR	26" x 14" x 8.38"	(66 x 35.6 x 21.3)	9.28	4.209
iM3100 STORM	36.5" × 14" × 6"	(92.7 × 35.6 × 15.2)	15.2	6.895
iM3410 STORM	54.5" x 10" x 6"	(138.4 × 25.4 × 15.2)	18	8.165
1750 PROTECTOR	50.38" x 13.33" x 5.33"	(128 x 33.9 x 13.5)	21	9.5
iM3200 STORM	44"×14"×6"	(111.8 × 35.6 × 15.2)	17.7	8.029
iM272@ STORM	22"×17"×10"	(55.9 x 43.2 x 25.4)	16.8	7.620
1610 PROTECTOR	21.78" × 16.69" × 10.62"	(55.3 × 42.4 × 27)	19.5	8.845
1606 AIR	24.54" × 12.30" × 10.22"	(62.3 × 31.2 × 26)	12.45	5.6
iM3300 STORM	50.5" x 14" x 6"	(128.3 x 35.6 x 15.2)	19.1	8.664
1670 PROTECTOR	28.1" × 16.49" × 9.19"	(71.4 × 41.9 × 23.3)	23	10.433
1615 AIR	29.59" x 15.5" x 9.38"	(75.2 x 39.4 x 23.8)	14.06	6.378
1620 PROTECTOR	21.48" × 16.42" × 12.54"	(54.6 × 41.7 × 31.9)	21.20	9.6
iM2750 STORM	22" x 17" x 12.7"	(55.9 x 43.2 x 32.3)	18.5	8.391
iM3220 STORM	44" x 14" x 8.5"	$(111.8 \times 35.6 \times 21.6)$	20.4	9.253
1650 PROTECTOR	28.57" × 17.52" × 10.65"	$(72.6 \times 44.5 \times 27.1)$	24.03	10.900
iM2875 STORM	22.5" × 21.1" × 11.4"	(57.2 x 53.6 x 29)	20.1	9.117
1637 AIR	23.43" x 17.55" x 13.25"	$(59.5 \times 44.6 \times 33.7)$	15.2	6.895
1626 AIR	28.14" × 14.10" × 11.72"	$(71.5 \times 35.8 \times 29.8)$	14.65	6.645
iM2950 STORM	29" x 18" x 10.5"	(73.7 x 45.7 x 26.7)	20.8	9.435
0340 PROTECTOR	18.00" x 18.00" x 18.00"	(45.7 × 45.7 × 45.7)	24	10.9
1646 AIR	32.06" x 15.87" x 13.42"	(81.4 × 40.3 × 34.1)	20.50	9.298
1745 AIR	44" x 16.77" x 8"	(111.8 × 42.6 × 20.3)	17.26	7.829
1740 PROTECTOR	40.98" x 12.92" x 12.13"	(104.1 × 32.8 × 30.8)	22	9.979
iM2975 STORM	29" x 18" x 13.8"	(73.7 x 45.7 x 35.1)	22.8	10.342
1770 PROTECTOR	54.58" x 15.58" x 8.63"	(138.6 x 39.6 x 21.9)	29	13.154
1640 PROTECTOR	23.7" × 24" × 13.9"	$(60.2 \times 61 \times 35.3)$	34	15.422
0350 PROTECTOR	20" x 20" x 20"	(50.8 x 50.8 x 50.8)	25.99	11.789
1630 PROTECTOR	27.7" x 20.98" x 15.5"	(70.4 x 53.3 x 39.4)	31	14.061
1660 PROTECTOR	28.2" × 19.66" × 17.63"	(71.6 x 49.9 x 44.8)	34.16	15.495
1730 PROTECTOR	34" x 24" x 12.5"	$(86.4 \times 61 \times 31.8)$	30	13.608
iM3075 STORM	29.8" x 20.8" x 17.8"	(75.7 x 52.8 x 45.2)	31.5	14.288
1690 PROTECTOR	30.13" x 25.13" x 15.36"	(76.5 × 63.8 × 39)	34	15.422
1780 PROTECTOR	41.12" × 21.54" × 14.88"	(104.4 × 54.7 × 37.8)	38.4	17.418
0370 PROTECTOR	24" × 24" × 24"	$(61 \times 61 \times 61)$	31.97	14.501
0500 PROTECTOR	34.95" x 18.45" x 25.25"	(88.8 x 46.9 x 64.1)	50	22.680
0550 PROTECTOR	47.57" × 24.07" × 17.68"	(120.8 × 61.1 × 44.9)	79.2	35.925

VAULT BY PELICAN™ CASE SERIES

Designed for daily use, durability and weather resistance, the Vault by Pelican™ line of cases offer the protection you need at an affordable price. These cases are equipped with premium protective features, such as push-button latches and an equalizing purge valve.

(∰)

Icon indicates select models with wheels



V200

INTERNAL DIMS: 14.00" x 10.00" x 5.50" (35.6 x 25.4 x 14 cm)

EXTERNAL DIMS: 15.41" x 13.08" x 6.16" (39.1 x 33.2 x 15.6 cm)

Cat. No. V200 WE



V100

INTERNAL DIMS:

11.00" x 8.00" x 4.50" (27.9 x 20.3 x 11.4 cm)

EXTERNAL DIMS:

12.28" x 12.03" x 5.16" (31.2 x 30.6 x 13.1 cm)

Cat. No. V100 WF



V250

INTERNAL DIMS:

12.70" x 6.30" x 10.00" (32.3 x 16 x 25.4 cm)

EXTERNAL DIMS:

16.27" x 7.90" x 11.93" (41.3 x 20.1 x 30.3 cm)

Cat. No. V250 WF



V300

INTERNAL DIMS:

16.00" x 11.00" x 6.50" (40.6 x 27.9 x 16.5 cm)

EXTERNAL DIMS:

17.54" x 14.21" x 7.16" (44.6 x 36.1 x 18.2 cm)

Cat. No. V300 WF



V525

INTERNAL DIMS: 19.90" x 10.60" x 7.30" (50.5 x 26.9 x 18.5 cm)

EXTERNAL DIMS: 22.00" x 14.00" x 9.00"

(55.9 x 35.6 x 22.9 cm)

Cat. No. V525 WE Cat. No. V525WD WD



VAULT BY PELICAN™ CASE SERIES

V550

INTERNAL DIMS: 19.00" x 14.00" x 8.50" (48.3 x 35.6 x 21.6 cm)

EXTERNAL DIMS: 22.42" x 17.46" x 9.16" (56.9 x 44.3 x 23.3 cm)

Cat. No. V550 WE Cat. No. V550WD WD



V600

INTERNAL DIMS:

21.00" x 17.00" x 9.50" (53.3 x 43.2 x 24.1 cm)

EXTERNAL DIMS:

24.55" x 20.59" x 10.16" (62.4 x 52.3 x 25.8 cm)

Cat. No. V600 WE Cat. No. V600WD WD



V700

INTERNAL DIMS:

36.50" x 14.50" x 6.00" (92.7 x 36.8 x 15.2 cm)

EXTERNAL DIMS:

39.61" x 17.65" x 6.65" (100.6 x 44.8 x 16.9 cm)

Cat. No. V700 WF



V730

INTERNAL DIMS:

44.00" x 16.00" x 6.25" (111.8 x 40.6 x 15.9 cm)

EXTERNAL DIMS:

47.12" x 19.18" x 6.90" (119.7 x 48.7 x 17.5 cm)

Cat. No. V730 WF



(@)

(1)

V770

INTERNAL DIMS:

50.00" x 10.00" x 6.00" (127 x 25.4 x 15.2 cm)

EXTERNAL DIMS:

51.47" x 13.15" x 6.65" (130.7 x 33.4 x 16.9 cm)

Cat. No. V770 WF



V800

INTERNAL DIMS:

53.00" x 16.00" x 6.00" (134.6 x 40.6 x 15.2 cm)

EXTERNAL DIMS:

56.11" x 19.15" x 6.65" (142.5 x 48.6 x 16.9 cm)

Cat. No. V800 WF





PELICAN™ CARGO CASES

Pelican Cargo cases and mounting kits are the ideal solution to protect your cargo. These rugged cases are extremely durable and weathertested so your gear, clothing, tools, or valuables stay dry and dust-free.

Ready to mount with no drilling required, Pelican Cargo cases can be attached to a variety of vehicles. With roof and truck bed mounting options, Pelican Cargo cases keep your gear easily accessible.

To keep your gear secure, the cases and mounts feature padlock hasps. When you need your roof or truck bed space, easily remove the case from its mounts and store in a secure place.

Get more adventure, more protection, and more security with Pelican Cargo cases and compatible vehicle mounting systems.

Available for Toyota®, Ford®, Chevrolet®, Jeep®, Ram® and other vehicles.



MOUNTING KIT

ROOF MOUNT



SADDLE MOUNT



CROSS-BED MOUNT

Mounting Kit can be placed fore or aft in the truck bed.



SIDE MOUNT

Mounting Kit can be placed fore or aft in the truck bed.



VEHICLE COMPATIBILITY

CARGO CASE COMPATIBILITY

*Also compatible roof mounting kit,

sold separetley.

Universal Kit RFMT-002



BX90R
INTERIOR DIMENSIONS 32.38" X 15.00" X 8.75"
EXTERIOR DIMENSIONS 36.62" X 20.00" X 11.50"



BX140R
INTERIOR DIMENSIONS 41.75" X 19.00" X 8.75"
EXTERIOR DIMENSIONS 46.00" X 24.00" X 11.50"

Kit for Toyota® Trucks
SDDLMT-002B

Universal Kit SDDLMT-002A



BX55S*INTERIOR DIMENSIONS 32.38" X 8.00" X 8.52"
EXTERIOR DIMENSIONS 36.63" X 13.00" X 11.50"



BX85S*INTERIOR DIMENSIONS 51.75" X 8.00" X 8.52"
EXTERIOR DIMENSIONS 56.00" X 13.00" X 11.50"

Kit for Toyota® Trucks
XBEDMT-001B

Universal Kit XBEDMT-001A



BX135INTERIOR DIMENSIONS 36.80" X 12.25" X 13.20"
EXTERIOR DIMENSIONS 41.00" X 17.25" X 16.00"



BX255INTERIOR DIMENSIONS 42.80" X 16.25" X 17.20"
EXTERIOR DIMENSIONS 47.00" X 21.25" X 20.00"

Kit for Toyota® Trucks SIDEMT-001B

> Universal Kit SIDEMT-001A



BX50INTERIOR DIMENSIONS 13.00" X 12.25" X 13.25" EXTERIOR DIMENSIONS 17.25" X 17.25" X 16.00"



BX80INTERIOR DIMENSIONS 20.75" X 12.25" X 13.25" EXTERIOR DIMENSIONS 25.00" X 17.25" X 16.00"



SHOULDER STRAP Heavy-duty shoulder strap offers comfort and support.

THINK INSIDE AND OUTSIDE THE BOX

The exterior protection of your hard case is only half the story and, with interior customization and accessory options, you get 360° of protection and organization solutions.

Inside the Box interior case solutions offer you multiple organization options. Choose from our TrekPakTM divider system, padded dividers, or Pick N PluckTM foam for the organization your equipment deserves.

Custom case solutions make protecting complex equipment easy. With options like custom engineered deck mount suspension systems and specialized foam options, your equipment stays organized and protected from extreme G-forces.

Pelican also offers a wide range of accessories including custom nameplates, caster wheels, shoulder straps, and TSA locks, making it easier to travel with and transport your gear without concern.



EZ CLICK™ MOLLE PANEL

Attach an unlimited combination of usersupplied MOLLE pouches and Velcro™ straps (not included) to the inside of your case lid.



1500D DESICCANT (SILICA GEL)

Absorbs moisture and prevents condensation from forming inside a case in high-humidity climates.



TSA LOCKS

TSA-accepted locks keep thieves out, while allowing the TSA necessary access.

OPTIONS VARY BY PRODUCT



CARD HOLDER

Removable card holders are ideal for shipping documents and identification cards.



LID ORGANIZER

Zippered mesh pockets keep your smaller equipment organized.



NAMEPLATES

Custom order nameplates make it easier to identify your case.



PALLET RISERS

Pallet risers raise the level of a case to allow forklift forks to slide under.



CASTER WHEEL KITS

Detachable caster wheels can be attached for easier transport and detached for storage.




LID STAYS

Lid stays lock your lid in place to allow access to your equipment without the worry of accidental lid closure.











PICK N PLUCK™ FOAM

An easy, do-it-yourself system for the interior of the case. Layers of foam are pre-scored in 1/2" or 1" cubes. Simply lay your equipment on the foam, tape or chalk to mark the foam, and pluck away. Always allow at least one inch of foam between your equipment and the wall of the case.

We offer replacement foam sets online at pelican.com. Just enter the case catalog number in the search field to view available foam sets.

Solid foam (which can be cut with an electric knife or coping saw) is preferred for oversize items such as long guns. The following cases ship with solid foam instead of Pick N Pluck™ Foam: 1700, 1720, 1740, 1750, 1770, iM3100, iM3200, iM3200, iM3300, iM3410



TREKPAK™ DIVIDER SYSTEM

Now available in our most popular case sizes, our TrekPak[™] Divider System is a versatile kit that allows you to organize your case like a pro. Durable, closed-cell foam is laminated to corrugated panels that provide a precise grid of protection without wasting any space.

The TrekPak™ Divider System comes complete with perimeter wall sections installed, divider panels, locking pins and a fool-proof cutting tool. Extra divider material is included and available separately so you can reconfigure your case anytime.



Available in our most popular Pelican™ Protector Case™ Brand Case, Pelican™ Storm Case™ Series, and Pelican™ Air Case sizes. TrekPak™ Divider System also sold separately.





TREKPAK™ DIVIDER & PICK N PLUCK™ FOAM HYBRID INTERIOR

With two NEW Pelican™ Hybrid interiors, organization has been taken to the next level. TrekPak™ dividers and Pick N Pluck™ foam have been combined in two of our most popular cases, the Pelican™ 1510 Protector Case™ and the Pelican™ 1535 Air case. This combination allows for unlimited options to keep your equipment intact, organized and ready to go.

Pick N Pluck[™] foam is perfect for fixed solutions and TrekPak[™] dividers give you the freedom to adjust the case to your everchanging accessory needs.

Hybrid configuration available for 1510 (Cat No.1510TPF) and 1535 Air (Cat No.1535TPF)



PADDED DIVIDERS

A classic organizational solution. Versatile and durable, padded dividers easily adjust to fit your equipment into any configuration on the fly. Plus, you can quickly identify your gear with the padded divider's high contrast color.





Padded Divider Walls are covered with mountable fabric, providing endless reconfigurations



PANEL FRAME AND BEZEL KITS

Many Pelican[™] cases can be adapted for use with electronic interface panels by using a Panel Frame (Pelican[™] Protector Case[™] Series) or Bezel Kit (Pelican[™] Storm Case[™] Series) accessory. Mount most interface panels (customer supplied) flush with the rim of the Pelican[™] Protector Case[™] Series or desired area in a Pelican[™] Storm Case[™] Series, and your technology is ready to go.

A polymer o-ring seals the panel so the base of the case remains watertight, even with the lid open. The mounting bracket, fasteners and o-ring are included in the Panel Frame Kit.

PELICAN™ PROTECTOR CASE™ SERIES WITH PANEL FRAME AVAILABLITY

	CAT. NO.	INTERIOR DIMENSIONS inches/cm LxWxH	EXTERIOR DIMENSIONS inches/cm LxWxH							
	1120	7.29" x 4.78" x 3.33" (18.5 x 12.1 x 8.5 cm)	8.41" x 6.76" x 3.87" (21.4 x 17.2 x 9.8 cm)							
ATTENDED	1150	8.29" x 5.79" x 3.75" (21.1 x 14.7 x 9.5 cm)	9.44" x 7.80" x 4.29" (24 x 19.8 x 10.9 cm)							
	1200	9.25" x 7.12" x 4.12" (23.5 x 18.1 x 10.5 cm)	10.62" x 9.68" x 4.87" (27 x 24.6 x 12.4 cm)							
200000000000000000000000000000000000000	1300	9.17" x 7.00" x 6.12" (23.3 x 17.8 x 15.5 cm)	10.62" x 9.68" x 6.87" (27 x 24.6 x 17.4 cm)							
	1400	11.81" x 8.87" x 5.18" (30 x 22.5 x 13.2 cm)	13.37" x 11.62" x 6.00" (34 x 29.5 x 15.2 cm)w							
SC COLUMN TO SEC.	1430	13.56" x 5.76" x 11.70" (34.4 x 14.6 x 29.7 cm)	16.40" x 8.71" x 13.15" (41.7 x 22.1 x 33.4 cm)							
	1450	14.66" x 10.24" x 6.12" (37.2 x 26 x 15.5 cm)	16.44" x 13" x 6.82" (41.8 x 33 x 17.3 cm)							
	1470	15.70" x 10.70" x 3.87" (39.9 x 27.2 x 9.8 cm)	16.88" x 13.23" x 4.47" (42.9 x 33.6 x 11.4 cm)							
	1490	17.75" x 11.37" x 4.12" (45.1 x 28.9 x 10.5 cm)	19.87" x 13.93" x 4.68" (50.5 x 35.4 x 11.9 cm)							
	1500	16.75" x 11.18" x 6.12" (42.5 x 28.4 x 15.5 cm)	18.50" x 14.06" x 6.93" (47 x 35.7 x 17.6 cm)							
	1520	18.06" x 12.89" x 6.72" (45.9 x 32.7 x 17.1 cm)	19.78" x 15.77" x 7.41" (50.2 x 40.1 x 18.8 cm)							
SCIENCE SCIENC	1550	18.63" x 14.18" x 7.72" (47.3 x 36 x 19.6 cm)	20.66" x 17.20" x 8.40" (52.5 x 43.7 x 21.3 cm)							

WARNING: This product can expose you to chemicals including Lead and lead compounds, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

PELICAN" STORM CASE" SERIES WITH BEZEL KIT AVAILABLITY INTERIOR DIMENSIONS EXTERIOR DIMENSIONS

	MILL DETER VILLY	VAILABLIII						
CAT. NO.	INTERIOR DIMENSIONS inches/cm LxWxH	EXTERIOR DIMENSIONS inches/cm LxWxH						
iM2050	9.5" x 7.5" x 4.25" (24.1 x 19.1 x 10.8 cm)	11.8" x 9.8" x 4.7" (30 x 24.9 x 11.9 cm)						
iM2075	9.5" x 7.5" x 7.25" (24.1 x 19.1 x 18.4 cm)	11.8" x 9.8" x 7.7" (30 x 24.9 x 19.6 cm)						
iM2100	13" x 9.2" x 6" (33 x 23.4 x 15.2 cm)	14.2" x 11.4" x 6.5" (36.1 x 29 x 16.5 cm)						
iM2200	15" x 10.5" x 6" (38.1 x 26.7 x 15.2 cm)	16.2" x 12.7" x 6.6" (41.1 x 32.3 x 16.8 cm)						
iM2300	17" x 11.7" x 6.2" (43.2 x 29.7 x 15.7 cm)	18.2" x 13.9" x 6.7" (46.2 x 35.3 x 17 cm)						
iM2306	17" x 6.3" x 6.2" (43.2 x 16 x 15.7 cm)	18.2" x 8.4" x 6.7" (46.2 x 21.3 x 17 cm)						
iM2370	18.2" x 12.1" x 5.2" (46.2 x 30.7 x 13.2 cm)	20" x 14.7" x 5.8" (50.8 x 37.3 x 14.7 cm)						
iM2400	18" x 13" x 6.7" (45.7 x 33 x 17 cm)	19.2" x 15.2" x 7.3" (48.8 x 38.6 x 18.5 cm)						
iM2450	18" x 13" x 8.4" (45.7 x 33 x 21.3 cm)	19.2" x 15.2" x 9" (48.8 x 38.6 x 22.9 cm)						
iM2500	20.5" x 11.5" x 7.2" (52.1 x 29.2 x 18.3 cm)	21.7" x 14.1" x 8.9" (55.1 x 35.8 x 22.6 cm)						
iM2600	20" x 14" x 7.7" (50.8 x 35.6 x 19.6 cm)	21.2" x 16" x 8.3" (53.8 x 40.6 x 21.1 cm)						
iM2620	20" x 14" x 10" (50.8 x 35.6 x 25.4 cm)	21.2" x 16" x 10.6" (53.8 x 40.6 x 26.9 cm)						
iM2700	22" x 17" x 8" (55.9 x 43.2 x 20.3 cm)	24.6" x 19.7" x 8.6" (62.5 x 50 x 21.8 cm)						
iM2720	22" x 17" x 10" (55.9 x 43.2 x 25.4 cm)	24.6" x 19.7" x 11.7" (62.5 x 50 x 29.7 cm)						
iM2750	22" x 17" x 12.7" (55.9 x 43.2 x 32.2 cm)	24.6" x 19.7" x 14.4" (62.5 x 50 x 36.6 cm)						
iM2875	22.5" x 21.1" x 11.4" (57.2 x 53.6 x 29 cm)	24.9" x 23.7" x 13.1" (63.2 x 60.2 x 33.3 cm)						
iM2950	29" x 18" x 10.5" (73.7 x 45.7 x 26.7 cm)	31.3" x 20.4" x 12.2" (79.5 x 51.8 x 31 cm)						
iM2975	29" x 18" x 13.8" (73.7 x 45.7 x 35.1 cm)	31.3" x 20.4" x 15.5" (79.5 x 51.8 x 39.4 cm)						




ELECTRONIC INSTALLATIONS

Many Pelican[™] Protector Case[™] Series and Pelican[™] Storm Case[™] Series models allow customization for electronics. Injection molding provides a reliable, durable, ready-to-ship enclosure with consistent dimensions. The copolymer material can be machined, drilled and sanded smooth.

These properties make the Pelican[™] Protector Case[™] Series and Pelican[™] Storm

Case[™] Series suitable for use with bulkhead connectors. Attaching equipment to the interior is equally simple using common hardware such as bolts and rivets. The hardware can be made watertight by use of o-rings, rubber gaskets or silicone.

Mounting the entire case to a wall or post is a simple way to create a waterproof control box for field use.







LID ORGANIZERS

Made of simulated leather or ballistic nylon with nylon zippers. A wide variety of pocket sizes protect and keep your gear organized, and install easily with Velcro® strips (included).

The Pelican™ EZ-Click™ MOLLE Panel is a lid organizer system on steroids- it's a durable panel that uses twist-cam locks to detach from your Pelican™ case for a swift changeout.

PELI™ QUICK MOUNTS

An alternative to panel frames, PeliTM Quick Mounts attach to the inside case wall using special adhesives. An interface panel can then be mounted on top of the PeliTM Quick Mounts and secured with screws (for PelicanTM Protector CaseTM Series models only).

CUSTOM LOGO SERVICES

Personalize the outside of the case with your company logo or have your name engraved on the nameplate (for PelicanTM Protector CaseTM Series models only). Logos can be applied in multiple colors as a Mylar[®] decal (250 piece minimum) or as a vibrant faderesistant, scratch-resistant hot-stamped ink.

For prices and further information, please call Pelican Customer Service at 310.326.4700 or toll free at 800.473.5422.





CUSTOM CASE SOLUTIONS

While every Pelican[™] case is built tough on the outside, we provide custom services to protect delicate items on the inside. Custom foam and extreme solutions such as deck mount suspension systems and

certified laboratory testing will keep your equipment organized, intact and protected through the most volatile conditions.

LOW COMPLEXITY

Custom Foam Solutions



EXAMPLES

- Custom Labels
- Humidity Indicators
- Customizable cushions, such as Polyethylene and Polyurethane, in multiple densities, as well as other specialty foams

MEDIUM COMPLEXITY

Interior/Exterior Solutions




EXAMPLES

- Shock Mount Metal Decks
- Custom Metal Work
- · Cut and Weld
- Custom Bezel Solutions
- Forklift Risers

EXTREME COMPLEXITY

Interior/Exterior Solutions with Testing Requirements



EXAMPLES

- Shock Testing
- Vibration Testing
- Drop Testing
- · Salt/Fog Testing
- Pressure Testing

PELICAN CASE CATALOG

INSIDE 胃**BOX**

CUSTOM FOAM MADE SPECIFICALLY FOR YOUR EQUIPMENT

Pelican Products provides expert packaging solutions for our case lines, and we work with partners who have been in the packaging industry for over 50 years. Save time and cost by purchasing a fast and complete turnkey solution from Pelican.



Our Pelican Case Centers have the most advanced foam cutting tools, and our engineers have the latest software applications so they are able to create a design that is precise and determines the most cost effective method of manufacture.



Water Jet Technology



Die Cut Technology



CNC Router Technology

PELICAN ENGINEERS TAKE EVERYTHING INTO CONSIDERATION WHEN DESIGNING YOUR CUSTOM CUSHION:

- Unit Dimensions
- Accessories and Other Items
- Fragility
- Military Specifications

- UV Resistance
- Commercial Spec
- Anti Static Grounding
- Weight and Weight Distribution
- Size Restrictions
- Shipping Method and Frequency (ground, air or "around the town")
- Option Requirements
- ...and more

All of this information allows us to choose the right Pelican™ case and foam type for your application.



NOT ALL FOAM IS EQUAL

With over 50 years of professional packaging experience, Pelican engineers utilize sophisticated engineering technology to provide a foam solution that not only serves to protect, but also creates a professional presentation that you will be proud to display.

From simple to very complex cushion designs, we know how to provide protection that will get your gear or mission critical items safely to their destination.



CUSHIONING MATERIAL

POLYURETHANE:

Commonly used, polyurethane is a softer, open cell foam. Best for lighter weight sensitive equipment such as cameras, smartphones and laptops. Available in a variety of densities.

CUSTOM FOAM APPLICATION EXAMPLES:

- Consumer Products
- Firearms
- Computers

- Calibrated Optics
- Tools
- Video Equipment

- Bottles
- Paintings
- Musical Instruments

- Collectibles
- Any Item That You Value and Need To Protect

ANTI-STATIC POLYURETHANE:

This special foam inhibits the build up of static electricity and helps dissipate any stray static charge. It is an open cell foam that is used for lightweight items such as sensitive electronic equipment, e.g. circuit boards, computer chips, etc.

POLYETHYLENE:

Polyethylene foam is a strong, non-abrasive, water-resistant and resilient closed cell foam. Due to its excellent vibration dampening and insulation properties, it is often used for packaging fragile goods such as communications equipment, power supplies, etc. Available in a variety of densities.

ANTI-STATIC POLYETHYLENE:

Commonly used for shipping electronic parts, circuit boards and computer chips, anti-static polyethylene foam is a strong, non-abrasive, water-resistant and resilient closed cell foam. The properties of the foam slowly dissipate electrostatic charges given off by other components. Used for shock absorption, it is often used for packaging fragile goods due to its excellent vibration dampening and insulation properties.

CROSS-LINK:

Is a non-porous, non-particulate closed cell foam that is often used in a clean room environment (reduces foreign object debris – FOD). It is aesthetically pleasing and resistant to grease, dirt and water. Available in a variety of densities.

ADDITIONAL FOAM TYPES ARE AVAILABLE: FLAME-RETARDANT, CONDUCTIVE, EXPANDED FOAMS...





BEYOND FOAM

When foam is not appropriate, Pelican specializes in custom metal work to help keep your equipment secure and stable, to arrive without a scratch.





DECK MOUNT SUSPENSION SYSTEM

While foam is generally the first choice for protection, heavy or extremely fragile equipment sometimes requires fabrication of custom deck mount suspension systems to secure equipment. Cradle mounts are also the choice when the equipment can only be supported in precise locations. Pelican's machine shop is world-class, with plasma cutters, certified welders and finishing services demanded by the aerospace, defense and medical industries.

VIBRATION CONTROL


Small but constant vibration during transport is very destructive to the equipment inside a case. Pelican uses elastomer shock mounts, cable shock isolators, hard mounts, and foam that isolate the payload from case walls. Specialized foams can also mitigate vibration; our engineers understand the properties of foam to specify the type that is right for your requirements.





LAB TESTING

Military and OEM customers may need to certify the case will perform to specific requirements. Under precise control conditions we subject our cases to a battery of rigorous lab tests including drop, vibration, leak, heat and dust tests.



VIBRATION TEST

- L.A.B. servo hydraulic vibration system; 0 300 Hz.
- Sinusoidal with pre-programmed profiles for:
- ISTA Integrity test procedures 11800, 14200, 1A, 1B, 1E, 1C, 1D, 2A AND 2B.
- FED-STD-101C; 5019-1
- 3 50 Hz sweep with 1G constant input
- 1 inch dwell for loose cargo bounce
- Mil-Std-648C; 5.3.2
- Random Vibration with pre-programmed profiles for:
- ASTM D 4169 Air levels 1, 2, and 3
- ASTM D 4169 Truck levels 1, 2, and 3
- ASTM D 4169 Rail levels 1, 2, and 3
- ISTA Integrity Test Procedures 1E, 1H, 1C, 1D, 1F, 3C, 3D, and 3E.

DROP TESTING

 Six foot cube reaction mass of reinforced concrete. A hoist capable of lifting 1 ton, and a quick release mechanism with a load capacity of ½ ton.

IMPACT TEST

- Falling dart 84 inch drop height with darts weighing between 5 and 15 lbs.
- Penetration test for category 1 containers - ATA 300 paragraph B-2-5

THERMAL TEST

 Walk in environmental chamber 6-foot wide by 8 foot high and 8 feet deep with a thermal range of -100°F to 200°F.

IMMERSION TEST

- Internal dimension of the chamber is
 54" x 30" x 36"H. Able to simulate immersions up to 2 meters.
- Small immersion tank capable of immersions up to 1 meter on small IM cases.
- 80 inch deep large immersion tank

RAIN TEST

 Small rain chamber capable of up to 4 inches per hour.

PNEUMATIC PRESSURE TESTING

- 100" and 80" water manometers
- 100" mercury manometer.
- Digital manometer 10 psi max.

COMPRESSION AND TENSILE TESTING

- Instron compression tester, model 3367.
- · Load range of 6600 lbs on small items.

LEAK TEST

- Immersion: 54" x 30" x 36" high chamber.
 Able to simulate immersions up to 2 meters.
- Rain: Small rain chamber capable of up to 4 in. per hour.
- Pneumatic Pressure: 100" and 80" water manometers. 100" mercury manometer.
- Digital manometer 10 psi max.



GET 20% TOUGHER AND HUNDREDS OF ADDITIONAL SIZE OPTIONS: **ROTATIONALLY MOLDED CASES**

Our rotationally molded cases begin as resin powder, measured and loaded into a mold attached to a biaxial arm. As the mold rotates and heats up, the resin coats the inside of the mold and creates the case. As a result of this process, 20% more resin accumulates in the corners and edges where it is needed most to provide impact resistance. This ensures that your case holds up

against extreme drops and impacts.

Each case is made in the USA and all cases are manufactured to MIL810 spec standards. We have 354 cases sizes combined with 7 different style options that allows us to offer the customer 620 configurable cases styles that satisfy any type of technical packaging requirements...

See pelican.com for all case styles and sizes.



SINGLE LID CASES

Rugged protection with detachable lids for easy access.

RACK MOUNT CASES

Built-in shock absorbing frames protect electronic equipment.

ISP CASES (INTER-STACKING PATTERN)

Best protection for pallet shipments.


LIGHT LIFT™ CASES.

Up to 30% lighter than standard roto mold cases.

CHOICE

Hundreds of case sizes and multiple case styles configured with a wide variety of case options allows us to offer the widest range of standard configurations in the industry.





OPTIONAL COLORS FOR ALL SINGLE LID CASES												
	Gray – 133 Fed Std# 26270		Tan – 250 Fed Std# 20372		Blue – 135(lt) Pantone# 292U		White – 132 Fed Std# 27925		Yellow – 136 Pantone# 012U	Green – 138(forest) Fed Std# 24052		Orange – 134 Fed Std# 12197
SESSERGES	Yellow – 131 Fed Std# 23538		Maroon - 197 Pantone# 202U		Blue – 101(dk) Fed Std# 25052		Black – 032 Fed Std# 27040		Red - 130 Fed Std# 21105	Olive Drab – 137 Fed Std# 34096		Purple – 129 Pantone# 245U

Note: Some options are not available on all case sizes and availability is subject to change at manufacturer's discretion. Case colors/options may differ slightly from printed versions.

MEET THE OTHER HALF OF PELICAN

The same durability and ingenuity built into every Pelican light also sets our other products apart. We're protecting equipment around the world from the toughest environments.

FOR THE FULL LINE OF PELICAN PRODUCTS GO TO WWW.PELICAN.COM



CASES



URBAN AND SPORT

BACKPACKS



COOLERS







PELICAN ELITE FLASHLIGHTS

BIOTHERMAL

DRINKWARE

INJECTION MOLDED CASES (EXCLUDES VAULT BY PELICAN) - LIMITED LIFETIME WARRANTY

Pelican Products, Inc. ("Pelican") guarantees its injection molded products for a lifetime against breakage or defects in workmanship. Pelican™ injection molded cases are guaranteed to be watertight to a depth of 3.3 feet (1 meter) for 30 minutes (IP 67) if properly closed with undamaged o-ring in place unless otherwise stated. To the extent permitted by law, Pelican's liability is limited to the case and not its contents or foam. Pelican will either repair or replace any broken or defective product, at our sole option.

All warranty claims of any nature are barred if the product has been altered, damaged or in any way physically changed, or subjected to abuse, misuse, negligence or accident. In Australia visit www.pelican.com/support/warranty/.

For complete warranty details visit www.pelican.com/support/warranty/.

Lifetime Warranty does not cover Vault by Pelican, Cargo mounts or Roto Molded cases. Refer to www.pelican.com/support/warranty/ for full details.

U.S.A.

CALIFORNIA

23215 Early Avenue Torrance, CA 90505 Tel: 310.326.4700 800.473.5422 Fax: 310.326.3311 www.pelican.com

MASSACHUSETTS

147 North Main Street South Deerfield, MA 01373 Tel: 800.542.7344 Fax: 413.665.8330 www.pelican.com

MINNESOTA

Pelican BioThermal Headquarters 10050 89th Ave N Maple Grove, MN 55369 Tel: 763.412.4800 877.537.9800 www.pelicanbiothermal.com

INTERNATIONAL

AUSTRALIA

Pelican Products Pty Ltd West Wing, Platinum Building, Suite 2.33, 4 Ilya Av Erina NSW 2250 Tel: +612 4367 7022 Fax: +612 4367 7066 www.pelicanaustralia.com

KOREA

Pelican Products Korea Ltd #909 Hyundai 41 Tower, #2616 917-9, Mok-dong, Yangchon-gu, Seoul, Korea 158-050 Tel: +82 2 6092 4700 Fax: +82 2 6739 4700

CANADA

Pelican Products ULC 10221-184th Street Edmonton, Alberta T5S 2J4 Canada Tel: +780 481 6076 Fax: +780 481 9586 www.pelican.com/ca

JAPAN

Pelican Products K.K. Nisso 22 Bldg 9F 1-11-10 Azabu Dai Minato ward Tokyo 106-0041 Japan Tel: +81 33 585 9100 Fax: +81 33 585 9109 www.pelican.com/jp

CHINA

Pelican Products China Representative Office Pine City Building, Room 1026 777 Zhaojiabang Road Shanghai, China 200032 Tel: +86 21 64189685 Fax: +86 21 64189679 www.pelican.com/cn

LATIN AMERICA

23215 Early Avenue Torrance, California 90505 USA Tel: +1 310-326-4700 x 1462 Fax: +1 310-325-5740 www.pelican.com

EUROPE. MIDDLE EAST AND AFRICA

Peli Products, S.L.U. c/ Provença, 388, Planta 7 08025 · Barcelona, Spain Tel: +34 934 674 999 Fax: +34 934 877 393 www.peli.com

SE ASIA and Rrest of ASIA (Hong Kong, Macau, Taiwan, Pakistan)

19 Tukang Innovation Drive Greenhub #04-01 Singapore 618301 tel: +65 9298 3322 www.pelican.com



©2023 Pelican Products. Inc.

VELCRO* is a registered trademark of Velcro Industries B.V. Mylar* is a registered trademark of E.I. du Pont de Nemours and Company. Chevrolet is a registered trademark of General Motors Company. Ford is a registered trademark of Ford Motor Company. Jeep and Ram are registered trademarks of Chrysler Group LLC. Toyota is a registered trademark of Toyota Motor Sales, U.S.A., Inc. All other trademarks are registered and/or unregistered trademarks of Pelican Products, Inc., its subsidiaries and/or affiliates.

Printed in the USA on FSC-Certified Paper

DISTRIBUTED BY:



W: www.idemcosb.com.my
E: idemco@idemcosb.com.my

T:+603-77817973

